



**BELT-DRIVE WALK-BEHIND**

**SIMPLE & EASY-TO-SERVICE DESIGN**

Simple-to-maintain belt-drive design and five-speed transmission makes the SW easy to service and operate. Economical, durable and productive, the SW Walk-Behind provides years of dependable operation and an outstanding return on investment.

- Heavy-duty Advantage™ and Velocity Plus™ Cutter Decks are constructed for outstanding durability (52" decks are made with a 10-gauge top and 7-gauge skirt; 32", 36" and 48" decks are constructed of 7-gauge steel).
- Large drive wheels feature rounded edges for better flotation and less turf tearing.
- Large 5.5-gallon fuel tank features a molded-in cup holder and large filler neck.
- Tough spindle assembly features a cast-iron housing with a heavy-duty flange secured with  $\frac{5}{16}$ " grade-8 mounting hardware. Tapered roller bearings add 50% more load-carrying capacity than ball bearings. Covered by a 3-year limited warranty.
- Fixed cutter deck adjusts from  $1\frac{3}{4}$ " to  $4\frac{1}{2}$ " in  $\frac{1}{4}$ " increments.
- Flat-free (semi-pneumatic) front caster tires reduce maintenance costs and keep you in the field, cutting grass.
- Full commercial-grade construction ensures years of productive use.

*Actual product may differ from photos.*

## #ScagNation Profile



### **NICHOLAS C.**

Winfield Park, NJ

**SCAG OWNER FOR 20+ YEARS**

#### **WHY DID YOU CHOOSE SCAG?**

*"It does jobs so much faster and can make lawns look like green carpets."*

#### **HOW DOES OWNING A SCAG IMPROVE YOUR BUSINESS?**

*"It just makes life easier and it can cut high grass with ease."*



Dependable Ogura clutch engages and disengages the blades quickly and easily. Adjustable air gap for long life.



Five-speed Peerless transmission features nine-spline coupler shafts for durability and a wide selection of forward ground speeds.



Spring-assisted EZ-Grip design reduces hand force required to operate drive controls for maximum operator comfort.

- Productive ground speeds up to 6 mph get the job done fast.
- Convenient instrument panel puts controls at operator's fingertips. Panel has key, cutter-deck-engagement switch, choke, throttle and digital hour meter.
- Belt cover has easy-access holes to reach the top spindle nuts for blade removal.
- Flexible discharge chute will not dent and is easy on landscaping.



**TURF TIGER II™**

MODEL NUMBER	DECK WIDTH	HP*	ENGINE
STTII-52V-25CH-LP-EFI	52"	25	Kohler® Command PRO® LP – propane-powered, electronic fuel injection
STTII-52V-31BV		31	Briggs Vanguard® BIG BLOCK™
STTII-61V-25CH-LP-EFI	61"	25	Kohler® Command PRO® LP – propane-powered, electronic fuel injection
STTII-61V-25KBD		25	Kubota® – 3-cylinder, diesel-powered
STTII-61V-31BV		31	Briggs Vanguard® BIG BLOCK™
STTII-61V-31DFI		31	Kawasaki® – digital fuel injection, liquid-cooled
STTII-61V-40BV-EFI	72"	40	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
STTII-72V-25KBD		25	Kubota® – 3-cylinder, diesel-powered
STTII-72V-31DFI		31	Kawasaki® – digital fuel injection, liquid-cooled
STTII-72V-40BV-EFI		40	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection



**CHEETAH II™**

SCZII-61V-37BV-EFI	61"	37	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
SCZII-61V-38FX-EFI		38	Kawasaki® FX – electronic fuel injection
SCZII-61RD-38FX-EFI		38	Kawasaki® FX – electronic fuel injection
SCZII-72V-37BV-EFI	72"	37	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
SCZII-72V-38FX-EFI		38	Kawasaki® FX – electronic fuel injection



**TIGER CAT II**

STCII-48V-22FX	48"	22	Kawasaki® FX
STCII-52V-26FT-EFI	52"	26	Kawasaki® FT – electronic fuel injection
STCII-52V-28BV-EFI		28	Briggs Vanguard® BIG BLOCK™
STCII-61V-26FT-EFI	61"	26	Kawasaki® FT – electronic fuel injection
STCII-61V-32BV		32	Briggs Vanguard® BIG BLOCK™



**PATRIOT™**

SPZ-52H-22FX	52"	22	Kawasaki® FX – V-twin
SPZ-52H-23CV		23	Kohler® Command PRO® – V-twin
SPZ-52H-26BV		26	Briggs Vanguard® – V-twin
SPZ-61H-23FX	61"	23	Kawasaki® FX – V-twin
SPZ-61H-25CV		25	Kohler® Command PRO® – V-twin
SPZ-61H-26BV		26	Briggs Vanguard® – V-twin



**FREEDOM Z®**

SFZ-48H-24KT	48"	24	Kohler® 7000 Series – V-Twin
SFZ-52H-26KT	52"	26	Kohler® 7000 Series – V-Twin


**LIBERTY® Z**

MODEL NUMBER	DECK WIDTH	HP*	ENGINE
SZL-36H-18FR	36"	18	Kawasaki® FR – V-twin
SZL-36H-20KT		20	Kohler® 7000 series – V-twin
SZL-42H-22KT	42"	22	Kohler® 7000 series – V-twin
SZL-48H-22KT	48"	22	Kohler® 7000 series – V-twin
SZL-52H-23FR	52"	23	Kawasaki® FR – V-twin
SZL-61H-24FR	61"	26	Kawasaki® FR – V-twin


**V-RIDE II™**

SVRII-32A-16FX	32"	16	Kawasaki® FX – V-twin
SVRII-36A-19FX	36"	19	Kawasaki® FX – V-twin
SVRII-48V-22FX	48"	22	Kawasaki® FX – V-twin
SVRII-52V-26FT-EFI	52"	26	Kawasaki® FT – electronic fuel injection
SVRII-52V-37BV-EFI		37	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
SVRII-61V-38FX-EFI	61"	38	Kawasaki® FX – V-twin – electronic fuel injection
SVRII-61V-40BV-EFI		40	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection


**SWZ**

SWZ-36A-14FS	36"	14	Kawasaki® FS – V-twin
SWZ-48V-15FSE	48"	15	Kawasaki® FS – V-twin, electric-start
SWZ-52V-18FSE	52"	18	Kawasaki® FS – V-twin, electric-start
SWZL-52V-22FSE		22	Kawasaki® FS – V-twin, electric-start
SWZL-61V-22FSE	61"	22	Kawasaki® FS – V-twin, electric-start


**SW**

SW-32-14FS	32"	14	Kawasaki® FS – V-Twin
SW-36A-14FS	36"	14	Kawasaki® FS – V-Twin
SW-48V-14FS	48"	14	Kawasaki® FS – V-Twin
SW-52V-15FS	52"	15	Kawasaki® FS – V-Twin


**SWZT**

SWZT-36H-14FS	36"	14	Kawasaki® FS – V-Twin
SWZT-48H-15FSE	48"	15	Kawasaki® FS – V-Twin, electric-start
SWZT-52H-18FSE	52"	18	Kawasaki® FS – V-Twin, electric-start
SWZT-61H-22FSE	61"	22	Kawasaki® FS – V-Twin, electric-start


**SFC**

SFC-30-7CV	30"	7	Kohler® Command PRO® CV224
SFC-30-7CV-CA		7	Kohler® Command PRO® CV224 (California)
SFC-30-7CV-S (front swivel wheels)		7	Kohler® Command PRO® CV224
SFC-30-7CV-S-CA (front swivel wheels)		7	Kohler® Command PRO® CV224 (California)

Model lineup is subject to change. Check Scag.com and consult with your local Scag Dealer for current availability.

\*Engine power levels as rated by the manufacturer. All models subject to availability.