

SCAG
POWER EQUIPMENT

LIBERTY Z



SZL-36H-18FR shown.

#ScagNation Profile



ALAN M.
Lisbon, CT

**SCAG OWNER FOR 1 YEAR
HOMEOWNER OPERATOR**

**HOW DOES OWNING A SCAG
IMPROVE YOUR LANDSCAPING?**

*"Residentially it assists
in dominating the
neighborhood!"*

FAVORITE FEATURE OF YOUR SCAG?

*"The Tiger Striper Lawn
Striping System
for sure!"*

New 42" model (shown) available.



Actual product may differ from photos.

FEATURES & SPECIFICATIONS

- Low-maintenance mower design reduces grease points for owner convenience.
- Fully fabricated and welded 36", 42", 48", 52" or 61" Hero™ cutter deck with anti-scalp rollers provides a beautiful quality-of-cut. This is the same proven deck design found on the Freedom Z® and Patriot™ models.
- Ground speeds up to 7 mph for high productivity.
- Hydro-Gear® ZT-2800® or ZT-3100® (61" model) hydro transaxles (2 independent units with charge pumps and all-metal gears) deliver smooth drive power and feature spin-on oil filters for easy maintenance. The 48" model features proven Tuff Torq transaxles.
- Extra-low center of gravity for maximum stability.
- Large 11" front caster tires and 20" drive tires for solid traction and a smooth ride.
- Sealed aluminum cutter deck spindles with ball bearings deliver maintenance-free, high-performance operation; ½"-thick mounting flange for incredible strength.
- Self-adjusting belt systems keep belts in constant, proper alignment for long life.
- Easy access to the engine oil-drain and filters for quick and simple maintenance.
- Powder coat paint for a showroom-quality finish and increased durability.
- Full-featured instrument panel with all controls within convenient reach of the operator.
- Digital hour meter features preprogrammed maintenance reminders to help you keep your mower running great.
- Large-diameter, padded, adjustable steering levers for ergonomic operation.
- Highly flexible discharge chute will not dent and is easy on the landscape.
- Wide, spacious footplate with extruded pattern for safe traction while getting on and off the mower.
- Fuel capacity of up to 5.5 gallons (48", 52" and 61" models) maximizes refueling intervals to save time and get the job done fast. Cup holder built into the fuel tank for operator convenience.
- 5-year/750-hour non-commercial mower warranty. See the Scag® Limited Warranty Statement for details.
- A variety of accessories are available to meet your specific needs, such as:
 - 2-Bag Grass Collection System.
 - Hurricane Mulch System.
 - LED Light Kit.
 - Trailer Hitch.

See page 53 for additional options.



Cushioned, contoured and bolstered seat is adjustable and delivers a high level of comfort. Standard armrests on the 48", 52" and 61" models provide additional stability and comfort no matter how long the job.



Heavy-duty, tubular-steel frame provides a solid foundation for years of reliable service.



Easy-to-use height-of-cut adjustment is quick and conveniently adjusts from 1½" to 4½" in ¼" increments.



Add a 2-Bag Grass Collection System to your Liberty® Z mower to give your lawn a pristine, clipping-free finish.



TURF TIGER II™

MODEL NUMBER	DECK WIDTH	HP*	ENGINE
STTII-52V-25CH-LP-EFI	52"	25	Kohler® Command PRO® LP – propane-powered, electronic fuel injection
STTII-52V-31BV		31	Briggs Vanguard® BIG BLOCK™
STTII-61V-25CH-LP-EFI	61"	25	Kohler® Command PRO® LP – propane-powered, electronic fuel injection
STTII-61V-25KBD		25	Kubota® – 3-cylinder, diesel-powered
STTII-61V-31BV		31	Briggs Vanguard® BIG BLOCK™
STTII-61V-31DFI		31	Kawasaki® – digital fuel injection, liquid-cooled
STTII-61V-40BV-EFI	72"	40	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
STTII-72V-25KBD		25	Kubota® – 3-cylinder, diesel-powered
STTII-72V-31DFI		31	Kawasaki® – digital fuel injection, liquid-cooled
STTII-72V-40BV-EFI		40	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection



CHEETAH II™

SCZII-61V-37BV-EFI	61"	37	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
SCZII-61V-38FX-EFI		38	Kawasaki® FX – electronic fuel injection
SCZII-61RD-38FX-EFI		38	Kawasaki® FX – electronic fuel injection
SCZII-72V-37BV-EFI	72"	37	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
SCZII-72V-38FX-EFI		38	Kawasaki® FX – electronic fuel injection



TIGER CAT II™

STCII-48V-22FX	48"	22	Kawasaki® FX
STCII-52V-26FT-EFI	52"	26	Kawasaki® FT – electronic fuel injection
STCII-52V-28BV-EFI		28	Briggs Vanguard® BIG BLOCK™
STCII-61V-26FT-EFI	61"	26	Kawasaki® FT – electronic fuel injection
STCII-61V-32BV		32	Briggs Vanguard® BIG BLOCK™



PATRIOT™

SPZ-52H-22FX	52"	22	Kawasaki® FX – V-twin
SPZ-52H-23CV		23	Kohler® Command PRO® – V-twin
SPZ-52H-26BV		26	Briggs Vanguard® – V-twin
SPZ-61H-23FX	61"	23	Kawasaki® FX – V-twin
SPZ-61H-25CV		25	Kohler® Command PRO® – V-twin
SPZ-61H-26BV		26	Briggs Vanguard® – V-twin



FREEDOM Z®

SFZ-48H-24KT	48"	24	Kohler® 7000 Series – V-Twin
SFZ-52H-26KT	52"	26	Kohler® 7000 Series – V-Twin


LIBERTY® Z

MODEL NUMBER	DECK WIDTH	HP*	ENGINE
SZL-36H-18FR	36"	18	Kawasaki® FR – V-twin
SZL-36H-20KT		20	Kohler® 7000 series – V-twin
SZL-42H-22KT	42"	22	Kohler® 7000 series – V-twin
SZL-48H-22KT	48"	22	Kohler® 7000 series – V-twin
SZL-52H-23FR	52"	23	Kawasaki® FR – V-twin
SZL-61H-24FR	61"	26	Kawasaki® FR – V-twin


V-RIDE II™

SVRII-32A-16FX	32"	16	Kawasaki® FX – V-twin
SVRII-36A-19FX	36"	19	Kawasaki® FX – V-twin
SVRII-48V-22FX	48"	22	Kawasaki® FX – V-twin
SVRII-52V-26FT-EFI	52"	26	Kawasaki® FT – electronic fuel injection
SVRII-52V-37BV-EFI		37	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
SVRII-61V-38FX-EFI	61"	38	Kawasaki® FX – V-twin – electronic fuel injection
SVRII-61V-40BV-EFI		40	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection


SWZ

SWZ-36A-14FS	36"	14	Kawasaki® FS – V-twin
SWZ-48V-15FSE	48"	15	Kawasaki® FS – V-twin, electric-start
SWZ-52V-18FSE	52"	18	Kawasaki® FS – V-twin, electric-start
SWZL-52V-22FSE		22	Kawasaki® FS – V-twin, electric-start
SWZL-61V-22FSE	61"	22	Kawasaki® FS – V-twin, electric-start


SW

SW-32-14FS	32"	14	Kawasaki® FS – V-Twin
SW-36A-14FS	36"	14	Kawasaki® FS – V-Twin
SW-48V-14FS	48"	14	Kawasaki® FS – V-Twin
SW-52V-15FS	52"	15	Kawasaki® FS – V-Twin


SWZT

SWZT-36H-14FS	36"	14	Kawasaki® FS – V-Twin
SWZT-48H-15FSE	48"	15	Kawasaki® FS – V-Twin, electric-start
SWZT-52H-18FSE	52"	18	Kawasaki® FS – V-Twin, electric-start
SWZT-61H-22FSE	61"	22	Kawasaki® FS – V-Twin, electric-start


SFC

SFC-30-7CV	30"	7	Kohler® Command PRO® CV224
SFC-30-7CV-CA		7	Kohler® Command PRO® CV224 (California)
SFC-30-7CV-S (front swivel wheels)		7	Kohler® Command PRO® CV224
SFC-30-7CV-S-CA (front swivel wheels)		7	Kohler® Command PRO® CV224 (California)

Model lineup is subject to change. Check Scag.com and consult with your local Scag Dealer for current availability.

*Engine power levels as rated by the manufacturer. All models subject to availability.