

**SCAG**  
POWER EQUIPMENT

CHEETAH II



**#ScagNation Profile**



**COLE H.**

**SCAG OWNER FOR 2 YEARS  
COMMERCIAL OPERATOR**

**WHY DID YOU CHOOSE SCAG?**

*"Best cutting mower  
I have tried and a good  
local dealer."*

**HOW DOES OWNING A SCAG  
IMPROVE YOUR BUSINESS?**

*"I am able to mow more  
efficiently due to the  
quality-of-cut compared  
to other mower brands  
I have had in the past."*



Actual product may differ from photos.

## FEATURES & SPECIFICATIONS

- Quick-Fit™ steering control levers, the Operator Suspension System and a spacious footplate reduce fatigue for comfortable operation.
- Double-tube mainframe makes the Cheetah II™ tough, durable and dependable year after year.
- Extra-low center of gravity gives the Cheetah II surefooted stability on a wide variety of terrain.
- Fabricated, welded and reinforced Velocity Plus™ Cutter Deck is ultra-strong and truly commercial-grade. Tri-Plate deck top is nearly ½" thick.
- Engine options include Kawasaki® FX EFI or Briggs Vanguard® EFI.
- Dual tanks provide up to a 13-gallon fuel capacity to keep you mowing for hours, ensuring better productivity.
- Heavy-duty Ogura GT5 (350 ft lb) clutch; adjustable air gap for long service life.
- Adjustable, three-position steering-lever-dampener mounting lets you customize the feel and responsiveness of the controls for easier operation.
- Convenient cup holder keeps beverage within reach.
- Foot-operated parking brake allows the operator to apply the brake without removing hands from the steering controls.
- Dual, integrated Hydro-Gear® transaxles give you responsive, dependable power; a cooling fan on each unit keeps operating temperatures low.
- Large-capacity hydraulic system increases component efficiency and extends system life.
- Extra-large drive tires provide dependable traction and a smooth ride.
- 6"-wide, flat-free front caster tires have tapered roller bearings in the axles and pivots for long life; lip seals keep grease in and dirt out.
- Tiger Eye™ Advanced Monitoring System keeps a constant, real-time "eye" on important system functions of the Cheetah II. (Specific functions vary by mower model and engine.)
- Integrated tie-down locations make securing the Cheetah II on a trailer simple.

## OPERATOR SUSPENSION SYSTEM



Isolates the operator station from the effects of rough terrain. A coil-over shock provides effective suspension action right where it's needed, and only where it's needed, for a smooth ride. Adjust the suspension system on the fly from firm to soft with a selection of five settings to match your personal preference.

This ultra-simple design utilizes only three moving parts to cushion the operator while maintaining the structural integrity of the mower's frame. Most importantly, this suspension system has no negative effect on the quality-of-cut.



The comfortable, contoured seat features rubber iso-mounts at four points to absorb vibration and increase comfort.



Two-speed ZT-5400® transaxle lets you choose either Low Range to travel up to 12 mph or High Range for up to 16 mph.



Operator-friendly instrument panel includes a conveniently located ignition switch, cutter-deck-engagement switch, choke, throttle controls and Tiger Eye Advanced Monitoring System.



**TURF TIGER II™**

MODEL NUMBER	DECK WIDTH	HP*	ENGINE
STTII-52V-25CH-LP-EFI	52"	25	Kohler® Command PRO® LP – propane-powered, electronic fuel injection
STTII-52V-31BV		31	Briggs Vanguard® BIG BLOCK™
STTII-61V-25CH-LP-EFI	61"	25	Kohler® Command PRO® LP – propane-powered, electronic fuel injection
STTII-61V-25KBD		25	Kubota® – 3-cylinder, diesel-powered
STTII-61V-31BV		31	Briggs Vanguard® BIG BLOCK™
STTII-61V-31DFI		31	Kawasaki® – digital fuel injection, liquid-cooled
STTII-61V-40BV-EFI	72"	40	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
STTII-72V-25KBD		25	Kubota® – 3-cylinder, diesel-powered
STTII-72V-31DFI		31	Kawasaki® – digital fuel injection, liquid-cooled
STTII-72V-40BV-EFI		40	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection



**CHEETAH II™**

SCZII-61V-37BV-EFI	61"	37	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
SCZII-61V-38FX-EFI		38	Kawasaki® FX – electronic fuel injection
SCZII-61RD-38FX-EFI		38	Kawasaki® FX – electronic fuel injection
SCZII-72V-37BV-EFI	72"	37	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
SCZII-72V-38FX-EFI		38	Kawasaki® FX – electronic fuel injection



**TIGER CAT II™**

STCII-48V-22FX	48"	22	Kawasaki® FX
STCII-52V-26FT-EFI	52"	26	Kawasaki® FT – electronic fuel injection
STCII-52V-28BV-EFI		28	Briggs Vanguard® BIG BLOCK™
STCII-61V-26FT-EFI	61"	26	Kawasaki® FT – electronic fuel injection
STCII-61V-32BV		32	Briggs Vanguard® BIG BLOCK™



**PATRIOT™**

SPZ-52H-22FX	52"	22	Kawasaki® FX – V-twin
SPZ-52H-23CV		23	Kohler® Command PRO® – V-twin
SPZ-52H-26BV		26	Briggs Vanguard® – V-twin
SPZ-61H-23FX	61"	23	Kawasaki® FX – V-twin
SPZ-61H-25CV		25	Kohler® Command PRO® – V-twin
SPZ-61H-26BV		26	Briggs Vanguard® – V-twin



**FREEDOM Z®**

SFZ-48H-24KT	48"	24	Kohler® 7000 Series – V-Twin
SFZ-52H-26KT	52"	26	Kohler® 7000 Series – V-Twin


**LIBERTY® Z**

MODEL NUMBER	DECK WIDTH	HP*	ENGINE
SZL-36H-18FR	36"	18	Kawasaki® FR – V-twin
SZL-36H-20KT		20	Kohler® 7000 series – V-twin
SZL-42H-22KT	42"	22	Kohler® 7000 series – V-twin
SZL-48H-22KT	48"	22	Kohler® 7000 series – V-twin
SZL-52H-23FR	52"	23	Kawasaki® FR – V-twin
SZL-61H-24FR	61"	26	Kawasaki® FR – V-twin


**V-RIDE II™**

SVRII-32A-16FX	32"	16	Kawasaki® FX – V-twin
SVRII-36A-19FX	36"	19	Kawasaki® FX – V-twin
SVRII-48V-22FX	48"	22	Kawasaki® FX – V-twin
SVRII-52V-26FT-EFI	52"	26	Kawasaki® FT – electronic fuel injection
SVRII-52V-37BV-EFI		37	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
SVRII-61V-38FX-EFI	61"	38	Kawasaki® FX – V-twin – electronic fuel injection
SVRII-61V-40BV-EFI		40	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection


**SWZ**

SWZ-36A-14FS	36"	14	Kawasaki® FS – V-twin
SWZ-48V-15FSE	48"	15	Kawasaki® FS – V-twin, electric-start
SWZ-52V-18FSE	52"	18	Kawasaki® FS – V-twin, electric-start
SWZL-52V-22FSE		22	Kawasaki® FS – V-twin, electric-start
SWZL-61V-22FSE	61"	22	Kawasaki® FS – V-twin, electric-start


**SW**

SW-32-14FS	32"	14	Kawasaki® FS – V-Twin
SW-36A-14FS	36"	14	Kawasaki® FS – V-Twin
SW-48V-14FS	48"	14	Kawasaki® FS – V-Twin
SW-52V-15FS	52"	15	Kawasaki® FS – V-Twin


**SWZT**

SWZT-36H-14FS	36"	14	Kawasaki® FS – V-Twin
SWZT-48H-15FSE	48"	15	Kawasaki® FS – V-Twin, electric-start
SWZT-52H-18FSE	52"	18	Kawasaki® FS – V-Twin, electric-start
SWZT-61H-22FSE	61"	22	Kawasaki® FS – V-Twin, electric-start


**SFC**

SFC-30-7CV	30"	7	Kohler® Command PRO® CV224
SFC-30-7CV-CA		7	Kohler® Command PRO® CV224 (California)
SFC-30-7CV-S (front swivel wheels)		7	Kohler® Command PRO® CV224
SFC-30-7CV-S-CA (front swivel wheels)		7	Kohler® Command PRO® CV224 (California)

Model lineup is subject to change. Check Scag.com and consult with your local Scag Dealer for current availability.

\*Engine power levels as rated by the manufacturer. All models subject to availability.