

SCAG
POWER EQUIPMENT

TURF STORM



Actual product may differ from photos.

TURF STORM

Model	STS60-21BV
Engine	Briggs Vanguard®
HP**	21
Liquid Capacity	60 gallons (30 each tank)
Dry/Granular Capacity	220 lb

See full specifications on page 74.

*Consult with your Scag® dealer for more information.

**Engine power levels as rated by the manufacturer. All models subject to availability.

Pre-production unit shown; actual product may vary from photos shown.

Shown equipped with the optional Foam Marker Kit. This accessory must be purchased separately and installed on the Turf Storm™.

Always wear proper personal protective equipment when operating. Reference the safety recommendations of each chemical used for specific guidelines.

FEATURES & SPECIFICATIONS

- Ergonomic drive-control-lever design provides incredible ease of use with adjustable front bar for precise speed control for accurate application rate.
- A spacious operator platform with extra-large operator comfort cushion and coil-spring suspension deliver a smooth ride.
- Heavy-duty construction ensures years of dependable service and worry-free productivity.
- Important structural components made of stainless steel resist the effects of repeated exposure to commonly used, highly corrosive chemicals.
- Wide stance and minimal length optimize the machine's overall maneuverability and stability.
- Incredible machine balance ensures sure footing, eliminating the need for locking front casters.
- Rugged dual-hydraulic drive system delivers dependable power with 10 cc Hydro-Gear® pumps and 14.5 ci Parker wheel motors.
- Productive ground speeds up to 8.5 mph help get the job done fast.
- Large 5-gallon fuel tank features a large filler neck, fuel gauge and molded-in cup holder for operator convenience.
- Powerful and efficient 21 hp Vanguard engine delivers ample power, exceptional efficiency and dependable performance while a 50-amp charging system ensures dependable spreader operation and battery life.
- Smooth-riding, large 20" drive tires and 16" caster tires provide dependable traction.
- Front and rear tie-down points enable easy trailering.
- 8-foot-wide, fold-away spray boom (with 5 gpm sprayer pump) features five nozzles delivering spraying widths of 2, 6, 8 or 10 feet.
- Hinged boom arms fold inward for transport or for tight space access.
- Replaceable nozzle design (with strainer) accommodates most standard tips, allowing you to install the right tip for the job and conditions.
- Dual 30-gallon liquid tanks (60-gallon total) keep you spraying longer; equipped with drain valves and a pre-pump, 50-mesh screen strainer for easy draining and cleaning.
- Drain plug at the lowest part of the tank allows for quick and convenient tank draining and cleaning in between the use of different chemicals.
- Strong 2-year commercial / 2-year non-commercial / 90-day rental limited warranty with coverage against manufacturing defects.
- A variety of accessories* will be available for the Turf Storm, allowing you to customize the machine for maximum productivity based on your specific needs:
 - 7 gpm Pump.
 - Foam Marker Kit.
 - Rear-Mounted Material Storage Trays.
 - LED Light Kit.
 - Weight Kit.



Accuracy and consistency of application are easy to maintain with controls and gauges that are clearly marked and located within easy reach. High-quality switches, levers, dials and gauges ensure reliable engagement/adjustment and long life.



Removable cushion and open lower area allow quick and easy service access to the hydro drive pumps, hydro oil reservoir and other mechanicals.



Dry/granular hopper has generous 220-pound capacity.



Hopper cover is included to help keep granular materials dry to prevent clumping and sticking.



Spread dry materials up to 25 feet wide thanks to a high-torque electric spreader motor.



Heavy-duty hose reel with 75 feet of high-pressure hose lets you reach those spaces that are too tight or steep to drive into.

SCAG
POWER EQUIPMENT

SPECIFICATIONS



TURF STORM™

Model	STS60-21BV
Total Fuel Capacity	5 gallons; features large filler neck, fuel gauge
Engine	Briggs & Stratton® Vanguard®
HP*	21
Drive System Type	Dual hydraulic
Frame Construction	Stainless steel
Front Wheels	16" caster tires
Rear Wheels	20" drive tires
Liquid Capacity	60 gallons (30 each tank)
Dry/Granular Capacity	220 lb
Pumps	Hydro-Gear®: 10 cc
Motors	Parker 14.5 ci
Forward Ground Speed	Up to 8.5 mph
Charging System	50 amp
Length	67"
Width (spray booms in)	54"
Max Width (spray booms out)	82"
Height	50"
Weight (dry weight / tanks & hopper empty)	965 lb
Warranty	2-Year Commercial; 2-Year Non-Commercial; 90-Day Rental; limited warranty coverage against manufacturing defects

*Engine power levels as rated by the manufacturer.
All models subject to availability.