

**BIGGER. BOLDER.**

## UPSIZED AND UPGRADED. BRING IT ON.

The V-Ride XL™ immediately commands your attention. But make no mistake, this machine delivers the incredible power, maneuverability and comfort you'd expect from a Scag® stand-on. Huge horsepower, a heavy-duty hydraulic drive system and its super-comfortable operator station combine to make this the stand-on mower all others only wish they could be.



Shown with optional Dual-Wheel Kit.

**SCAG**  
POWER EQUIPMENT

## FEATURES & SPECIFICATIONS

- 1 Velocity Plus™ cutter decks allow you to easily change height-of-cut from 2" to 6".
  - 2 Large, dual 6-gallon fuel tanks (12-gallon total capacity) maximize work time and feature wide necks for easy filling.
  - 3 Hydro-Gear pumps and wheel motors are extra tough and reliable, and pump drive pulleys feature tapered lock hubs for reliability and ease of service.
- Spacious operator platform has an adjustable suspension that minimizes vibration-induced drowsiness.
  - Ultra-smooth operator controls provide easy maneuverability.
  - Conveniently placed control panel puts levers and knobs within reach.
  - A performance-proven dual-pump/motor drive system provides independent rotation of each drive wheel for no-scurf, zero-radius turning.
  - Large, tubeless, 4-ply drive wheels provide traction and ease curb climbing.
  - Large, flat-free caster wheels with sealed roller bearings are built for extended wear.
  - Electric Ogura blade clutch has adjustable air gap for long service life; (Ogura with Soft-start module).
  - Tiger Eye™ Advanced Monitoring System keeps a virtual "eye" on crucial system and safety functions.
  - Dual-Wheel Kit, 2-Bag Spindle-Driven Grass Catcher, Hurricane Mulch System and other accessories available.



**V-RIDE XL**



Ergonomic operator controls provide incredible ease-of-use along with maximum comfort. Intuitive control design minimizes the learning curve for new operators.



Adjustable cutting heights from 2" to 6" in 1/4" increments. Deck can be lifted from the operating position with the pull of a spring-assisted lever.



Tiger Eye Advanced Monitoring System keeps a constant, real-time "eye" on important system functions of the V-Ride XL. (Specific functions vary by mower model and engine.)



Spacious operator platform with adjustable suspension delivers a smooth ride and reduces operator fatigue. Extra-large comfort cushion allows for comfortable operation, hour after hour.



Comfort cushion and lower panel are removable to allow quick and easy service access to the hydraulic system.



Rugged dual hydraulic drive system delivers dependable power with 16 cc Hydro-Gear® pumps with cooling fans.

*Actual product may differ from photos.*



# STAND-ON MOWERS

# SPECIFICATIONS



**V-RIDE XL**



**V-RIDE II**

	V-RIDE XL	V-RIDE II
<b>Total Fuel Capacity</b>	12 gallons	5 gallons (32"), 6.75 gallons (36"), 8 gallons (48", 52" and 61")
<b>Drive Tires</b>	24" x 9.5"-12" (52"), 24" x 12"-12" (61" and 72")	20" x 6.5"-10" (32"), 20" x 8"-10" (36"), 24" x 9.5"-12" (48" and 52"), 24" x 12"-12" (61")
<b>Caster Tires</b>	13" x 6.5"-6"	11" x 4"-5" (32" and 36"), 13" x 5"-6" (48" and 52"), 13" x 6.5"-6" (61")
<b>Drive System Type</b>	Dual Pump and Motor	Dual Pump and Motor
<b>Pumps</b>	Hydro-Gear 16 cc	Hydro-Gear 10 cc (32" and 36"), Hydro-Gear 12 cc (48", 52" and 61")
<b>Motors</b>	Hydro-Gear 18 ci	Parker: 12 ci (32" and 36"), Parker: 14 ci (48", 52" and 61")
<b>Forward Ground Speed</b>	Up to 11.6 mph	8.5 mph (32" and 36"), 10.5 mph (48", 52" and 61")
<b>Reverse Ground Speed</b>	5 mph	5 mph
<b>Parking Brake</b>	Hand lever	Hand lever
<b>Cutting Widths</b>	52", 61" and 72"	32", 36", 48", 52" and 61"
<b>Deck Type</b>	Velocity Plus™ cutter deck	Advantage (32" and 36"), Velocity Plus™ cutter deck (48", 52" and 61")
<b>Cutting Height</b>	2" to 6" in .25" increments	1.5" to 4.5" in .25" increments
<b>Deck Lift</b>	Hand lever	Hand lever
<b>Deck Construction</b>	Tri-plate cutter deck constructed of 3 steel plates totaling nearly 1/2" of steel. Reinforcement plates at cutter deck spindles.	Tri-plate cutter deck constructed of 3 steel plates totaling nearly 1/2" of steel. Reinforcement plates at cutter deck spindles. 32" model features dual-plate.
<b>Deck Spindles</b>	Cast-iron housing with tapered roller bearings	Cast-iron housing with tapered roller bearings
<b>Blade Engagement</b>	Ogura 3.5 (250 ft lb) Adjustable air-gap for extended life.	Ogura GT2.5 (150 ft lb) – (32", 36", 48" and 52") Ogura GT3.5 (250 ft lb) – (61") Adjustable air-gap for extended life.

	MODEL NUMBER	DECK WIDTH	ENGINE	HP*
<b>V-RIDE XL™</b>	SVRXL-52V-38FX-EFI ■	52"	Kawasaki® FX Series EFI – electronic fuel injection	38
	SVRXL-52V-40BV-EFI ■		Vanguard™ BIG BLOCK™ EFI – electronic fuel injection	40
	SVRXL-61V-38CV ■	61"	Kohler® Command PRO®	38
	SVRXL-61V-38FX-EFI ■		Kawasaki® FX Series EFI – electronic fuel injection	38
	SVRXL-61V-40BV-EFI ■		Vanguard™ BIG BLOCK™ EFI – electronic fuel injection	40
	SVRXL-72V-38FX-EFI ■	72"	Kawasaki® FX Series EFI – electronic fuel injection	38
SVRXL-72V-40BV-EFI ■	Vanguard™ BIG BLOCK™ EFI – electronic fuel injection		40	
<b>V-RIDE II™</b>	SVRII-32A-16FX	32"	Kawasaki® FX Series	16
	SVRII-32A-23BV		Vanguard™	23
	SVRII-36A-19FX	36"	Kawasaki® FX Series	19
	SVRII-36A-23BV		Vanguard™	23
	SVRII-48V-22FX	48"	Kawasaki® FX Series	22
	SVRII-48V-23CV		Kohler® Command PRO®	23
	SVRII-48V-25CV-EFI		Kohler® Command PRO® EFI – electronic fuel injection	25
	SVRII-52V-23FX		Kawasaki® FX Series	23
	SVRII-52V-25CV-EFI	52"	Kohler® Command PRO® EFI – electronic fuel injection	25
	SVRII-52V-26FT-EFI		Kawasaki® FT Series EFI – electronic fuel injection	26
	SVRII-52V-37BV-EFI		Vanguard™ BIG BLOCK™ EFI – electronic fuel injection	37
	SVRII-61V-26CV-EFI		Kohler® Command PRO® EFI – electronic fuel injection	26
	SVRII-61V-38CV-EFI	61"	Kohler® Command PRO® EFI – electronic fuel injection	38
	SVRII-61V-38FX-EFI		Kawasaki® FX Series EFI – electronic fuel injection	38.5
SVRII-61V-40BV-EFI	Vanguard™ BIG BLOCK™ EFI – electronic fuel injection		40	

Model lineup is subject to change. Check Scag.com and consult with your local Scag Dealer for current availability.

\*Engine power levels as rated by the manufacturer. All models subject to availability.



# LEAVE THE WORRY BEHIND

Since Scag® Power Equipment was established in 1983, we've built an industry-wide reputation for producing reliable, heavy-duty commercial equipment. We are proud of the quality of our mowers and their well-earned reputation for durability. The Scag warranty policy shows our commitment to you and to the products we manufacture. See your local Scag dealer for details on the warranty policy or reference the Limited Warranty Statement included in your operator's manual.

	TURF TIGER II™	CHEETAH II™	TIGER CAT™ II	PATRIOT™	FREEDOM Z™	LIBERTY Z™	SLS	EYZ	V-RIDE XL	V-RIDE II™	SWZT	SWZ	SW	SFCII-30	SFC-21	TURF STORM™ XL	TURF STORM™	AERSTORM™	WINDSTORM™	EXTREME PRO BLOWER	EXTREME BLOWER	CLASSIC BLOWER	TRUCK LOADERS	JACKAL
1-YEAR COMMERCIAL MACHINE WARRANTY*					•									•	•								•	
2-YEAR COMMERCIAL MACHINE WARRANTY*	•	•	•	•				•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
3-YEAR CUTTER DECK SPINDLE WARRANTY*	•	•	•						•	•		•	•											
3-YEAR OR 300-HOUR NON-COMMERCIAL** MACHINE WARRANTY*							•																	
3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY*	•	•	•	•	•			•	•	•	•	•	•	•	•									
5-YEAR OR 750-HOUR NON-COMMERCIAL** MACHINE WARRANTY*						•																		
90-DAY WEAR ITEM WARRANTY*	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
90-DAY RENTAL USE WARRANTY*	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1-YEAR OR 1,000-HOUR RENTAL USE WARRANTY*																								•
ENGINE WARRANTY	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•



# WARRANTIES

## TURF TIGER II, CHEETAH II, TIGER CAT II, V-RIDE II, SWZ & SW WARRANTY

### 2-YEAR COMMERCIAL MACHINE WARRANTY\*

Frame and structural components including oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors are covered for two years of commercial use. This warranty covers manufacturing defects for two years, including parts and labor (excludes wear items).

### 3-YEAR CUTTER DECK SPINDLE WARRANTY\*

Velocity Plus™ and Advantage™ cutter decks are equipped with the exclusive Scag heavy-duty, cast-iron cutter blade spindle. We ensure our spindle's dependability, not only through its top-quality construction, but also through complete coverage of parts and labor for the first and second years, and parts only for the third year. Applies to commercial and non-commercial use.

### 3-YEAR OR 500-HOUR NON-COMMERCIAL\*\* MACHINE WARRANTY\*

Frame and structural components including oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors are covered for three years or 500 hours (whichever comes first) of non-commercial use. This warranty covers manufacturing defects for three years or 500 hours (whichever comes first), including parts and labor (excludes wear items).

## PATRIOT & SWZT WARRANTY

### 2-YEAR COMMERCIAL MACHINE WARRANTY\*

### 3-YEAR OR 500-HOUR NON-COMMERCIAL\*\* MACHINE WARRANTY\*

## FREEDOM Z & SFC WARRANTY

### 1-YEAR COMMERCIAL MACHINE WARRANTY\*

### 3-YEAR OR 500-HOUR NON-COMMERCIAL\*\* MACHINE WARRANTY\*

## LIBERTY Z WARRANTY

### 5-YEAR OR 750-HOUR NON-COMMERCIAL\*\* MACHINE WARRANTY\*

## SLS WARRANTY

### 3-YEAR OR 300-HOUR NON-COMMERCIAL\*\* MACHINE WARRANTY\*

## AERSTORM AERATOR, TURF STORM SPREADER-SPRAYERS, TRUCK LOADERS, WINDSTORM, EXTREME PRO BLOWER & EXTREME BLOWER WARRANTY

### 2-YEAR COMMERCIAL MACHINE WARRANTY\*

Frame and structural components including frame, blower housing, oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors (where applicable) are covered for two years of commercial use. This warranty covers manufacturing defects for two years, including parts and labor (excludes wear items).

## CLASSIC BLOWER WARRANTY

### 1-YEAR COMMERCIAL MACHINE WARRANTY\*

### 2-YEAR NON-COMMERCIAL\*\* MACHINE WARRANTY\*

## JACKAL WARRANTY

### 2-YEAR OR 2,000-HOUR COMMERCIAL MACHINE WARRANTY\*

### 1-YEAR OR 1,000-HOUR RENTAL USE WARRANTY\*

## ALL PRODUCTS

### 90-DAY WEAR ITEM WARRANTY & RENTAL USE\*

Wear items, including drive belts, blades, hydraulic hoses, tires and batteries, and rental use are warranted for 90 days.

### ENGINE WARRANTY

Engines and engine components are covered by the individual engine manufacturer. See engine owner's manual for warranty period and details.

## SCAG EXTENDED WARRANTY PROGRAM\*\*\*

Scag's new Extended Warranty Program is better than ever. For only a few dollars per month when financed with this machine, you can protect your investment and enjoy peace-of-mind knowing that your Scag equipment is covered for years to come. Consult with your Scag Dealer for more information.

\* Warranty time periods are from the date of purchase, are only applicable to the original owner and are non-transferable. Warranty does not cover wear items, misuse, abuse, lack of maintenance, etc. See the Limited Warranty Statement in your owner's manual for more details.

\*\* "Non-Commercial" is defined as single-property usage, where the single property is the residence of the owner of the product. If the product is being used on more than the owner's single property, it is deemed commercial use and this warranty does not apply. Scag Power Equipment reserves the right to deny and/or void this warranty if evidence clearly points to commercial use.

\*\*\* Excludes wear items such as belts, tires, battery. Warranty does not cover wear items, misuse, abuse, lack of maintenance, etc. See the Limited Warranty Statement in your owner's manual for more details. Depending on model. Manufacturer warranties of 1-year or less are doubled. Manufacturer warranties greater than 1-year and less than 5-years are extended to 5 full years in total.