



EXTREME PRO™

EXTREME™

CLASSIC™

**ROLLING. ROLLING. ROLLING.**

## THE FASTEST CLEAN-UP ON WHEELS

Leaf and debris piles are no match for nimble and powerful Scag® Wheeled Blowers. These low-maintenance blowers go where you need them to go and run smoothly and dependably on any surface. Choose from three different CFM outputs for the ultimate in flexibility.

- 1 Heavy-duty construction for dependable strength and long life.
  - 2 Impeller is dynamically balanced for smooth operation and optimum performance.
  - 3 A 2° blower tilt at discharge gets airflow under leaves without losing ground clearance.
- Comfortable Sure-Grip foam wraps around tubular-steel, iso-mounted handles.
  - Heavy-duty, 3/4" solid-steel axles.
  - Tie-down bracket and lift handle (Extreme™ and Extreme Pro™).
  - Engine features low-oil shutoff.
  - Proven Honda® engines on the Extreme and Extreme Pro.
    - Powerful and quiet with low fuel consumption and low emissions.
    - Precision-balanced engine provides exceptionally smooth performance.
  - Commercial-grade, all-steel, mechanical throttle control features a plastic debris cover for worry-free performance.
  - Large discharge openings are positioned only 2" off the ground for better debris lifting.
    - Front- or side-discharge adjustment via a simple lever.
    - Extreme and Extreme Pro also have an adjustable discharge angle via a remote lever on the handlebar.
  - Front Swivel Wheel accessory is available to add even easier maneuverability for Extreme and Extreme Pro models.



**WHEELED BLOWERS**



**HONDA ENGINE**



**DISCHARGE CHUTE**  
LBX15 shown.



**SWIVEL WHEEL KIT**  
For Extreme and Extreme Pro only.

See full specifications on page 83.  
Actual product may differ from photos.

## SPREADER/SPRAYER & AERATOR



	<b>TURF STORM™ XL</b>	<b>TURF STORM™</b>
<b>Model</b>	STS60XL-23BV	STS30-23BV
<b>Total Fuel Capacity</b>	5 gallons; features large filler neck, fuel gauge	4.5 gallons; features large filler neck, fuel gauge
<b>Engine</b>	Briggs & Stratton® Vanguard®	Briggs & Stratton® Vanguard®
<b>HP*</b>	23	23
<b>Drive System Type</b>	Dual hydraulic	Dual hydraulic
<b>Frame Construction</b>	Stainless steel	Stainless steel
<b>Front Wheels</b>	16" caster tires	16" caster tires
<b>Rear Wheels</b>	20" drive tires	20" drive tires
<b>Liquid Capacity</b>	60 gallons (30 each tank)	30 gallons (15 each tank)
<b>Dry/Granular Capacity</b>	220 lb	120 lb
<b>Pumps</b>	Hydro-Gear®: 10 cc	Hydro-Gear®: 10 cc
<b>Motors</b>	Parker 14.5 ci	Parker 14.5 ci
<b>Forward Ground Speed</b>	Up to 8.5 mph	Up to 8.5 mph
<b>Charging System</b>	50 amp	50 amp
<b>Length</b>	67"	65"
<b>Width (spray booms in)</b>	54"	35.5"
<b>Max Width (spray booms out)</b>	82"	65"
<b>Height</b>	50"	50"
<b>Weight (dry weight / tanks &amp; hopper empty)</b>	965 lb	859 lb
<b>Warranty</b>	2-Year Commercial; 2-Year Non-Commercial; 90-Day Rental; limited warranty coverage against manufacturing defects	



	<b>AERSTORM™</b>
<b>Model</b>	AS30-23CV AS30-23CV-DS†
<b>Engine</b>	Kohler® Command Pro
<b>HP*</b>	23.5 HP @ 3600 rpm
<b>Fuel Tank</b>	5.5 gallon (20.8 liters) tank with molded-in cup holder
<b>Drive Wheels/Tires</b>	18 x 6.5 - 8 four-ply pneumatic tubeless, radius edge
<b>Caster Wheels</b>	13 x 6.5 - 6 Flat-Free (semi-pneumatic)
<b>Drive System</b>	Dual hydraulic
<b>Hydro Pumps</b>	Hydro-Gear PG Series, 10 cc
<b>Drive Wheel Motors</b>	Parker 14.5 ci
<b>Forward Speed Range</b>	0 up to 7.0 mph
<b>Reverse Speed Range</b>	0 up to 3.0 mph

## WHEELED BLOWERS

# SPECIFICATIONS



	<b>WINDSTORM®</b>	<b>EXTREME PRO™</b>	<b>EXTREME™</b>	<b>CLASSIC™</b>
<b>Model</b>	WS23-37BV-EFI	LBXP17-GX390	LBX15-GX270	LBX15-BV10
<b>Engine</b>	Briggs & Stratton® Vanguard® EFI	Honda® GX390	Honda® GX270	Briggs Vanguard™
<b>HP*</b>	37	11.7	8.5	10
<b>CFM Output</b>	Effective CFM: 6,000** Theoretical Peak CFM: 7,500***	2,824	2,293	1,392
<b>Electric Clutch</b>	Ogura GT3.5 (250 ft lb) with SoftStart Electric Clutch Controller	n/a		
<b>Frame Construction</b>	All-steel, welded 10-gauge			
<b>Impeller Construction</b>	All-steel, welded, 8-blade, dynamically balanced	All-steel, welded, 6-blade, dynamically balanced		All-steel, welded, 4-blade, dynamically balanced
<b>Impeller Mounting</b>	Tapered locking hub			Keyed crankshaft, bolt with thread-lock
<b>Impeller Diameter / Width</b>	23" / 8.5"	17" / 4.25"	15" / 4.25"	15" / 3.5"
<b>Housing Construction</b>	All-steel, welded, 12-gauge front and side housing plate and 10-gauge back housing plate	All-steel, welded, 10-gauge front and back housing plates; 12-gauge skirt		
<b>Housing Width</b>	10"	6.0"		4.5"
<b>Blower Tilt Angle</b>	16 degrees of total vertical tilt; 180 degrees of left/right horizontal rotation	2-degree tilt at discharge; allows blower to more effectively get under wet, heavy debris		
<b>Handlebar</b>	n/a	Tubular steel with thick, comfortable foam grip; 3-position, adjustable height		4-point iso-mount handlebar
<b>Vibration Control</b>	n/a	8-point iso-mount handlebar		4-point iso-mount handlebar
<b>Discharge Opening</b>	69 square inches	25.25 square inches		16 square inches
<b>Discharge Control, Front/Side</b>	Nozzle Direction System features a separate auto left/right switch and fine-tune switch for up to 180 degrees of rotation	Quick-lever located near discharge		
<b>Discharge Control, Angle</b>	Located for easy reach from operator's position; up to 16 degrees of vertical tilt adjustment	Discharge angle control via remote lever on handlebar		n/a
<b>Axle</b>	n/a	3/4"-diameter steel		
<b>Front Wheel(s)</b>	13" x 5"-6", flat-free	4.10" x 3.5" pneumatic tire	9" x 3.5" pneumatic tire	1.5" x 6" flat-free tire
<b>Rear Wheels</b>	24" x 9.5"-12", 4-ply	13" x 5"-6" pneumatic Turf Safe tires	4.10" x 3.5" pneumatic Turf Safe tires	
<b>Length</b>	71.50"	52"	56"	43"
<b>Width</b>	51"	30.25"	28"	27"
<b>Weight</b>	943 lb	190 lb	160 lb	105 lb
<b>Warranty</b>	2-Year Commercial; 90-Day Rental	2-Year Commercial; 90-Day Rental		1-Year Commercial; 2-Year Non-Commercial; 90-Day Rental

\* Engine power levels as rated by the manufacturer. All models subject to availability.

\*\* Effective CFM: Calculation obtained by applying accepted engineering methods of measuring overall average airflow volume. This is the default figure published by Scag® for all of its blowers and truck loaders. Learn more at [Scag.com/pro-tip/cfm-definition](https://scag.com/pro-tip/cfm-definition).

\*\*\* Theoretical Peak CFM: Figure derived by assuming the highest single-point measurement obtained during testing would apply to the overall airflow volume calculation. This figure is published by some other brands of blowers as their default "CFM" measurement.



\*Engine power levels as rated by the manufacturer. All models subject to availability.

† Includes Drop Seeder Kit attachment.

# LEAVE THE WORRY BEHIND

Since Scag® Power Equipment was established in 1983, we've built an industry-wide reputation for producing reliable, heavy-duty commercial equipment. We are proud of the quality of our mowers and their well-earned reputation for durability. The Scag warranty policy shows our commitment to you and to the products we manufacture. See your local Scag dealer for details on the warranty policy or reference the Limited Warranty Statement included in your operator's manual.

	TURF TIGER II™	CHEETAH II™	TIGER CAT™ II	PATRIOT™	FREEDOM Z™	LIBERTY Z™	SLS	EYZ	V-RIDE XL	V-RIDE II™	SWZT	SWZ	SW	SFCII-30	SFC-21	TURF STORM™ XL	TURF STORM™	AERSTORM™	WINDSTORM™	EXTREME PRO BLOWER	EXTREME BLOWER	CLASSIC BLOWER	TRUCK LOADERS	JACKAL
<b>1-YEAR COMMERCIAL MACHINE WARRANTY*</b>					•									•	•								•	
<b>2-YEAR COMMERCIAL MACHINE WARRANTY*</b>	•	•	•	•				•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
<b>3-YEAR CUTTER DECK SPINDLE WARRANTY*</b>	•	•	•						•	•		•	•											
<b>3-YEAR OR 300-HOUR NON-COMMERCIAL** MACHINE WARRANTY*</b>							•																	
<b>3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY*</b>	•	•	•	•	•			•	•	•	•	•	•	•	•									
<b>5-YEAR OR 750-HOUR NON-COMMERCIAL** MACHINE WARRANTY*</b>						•																		
<b>90-DAY WEAR ITEM WARRANTY*</b>	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
<b>90-DAY RENTAL USE WARRANTY*</b>	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
<b>1-YEAR OR 1,000-HOUR RENTAL USE WARRANTY*</b>																								•
<b>ENGINE WARRANTY</b>	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•



# WARRANTIES

## TURF TIGER II, CHEETAH II, TIGER CAT II, V-RIDE II, SWZ & SW WARRANTY

### 2-YEAR COMMERCIAL MACHINE WARRANTY\*

Frame and structural components including oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors are covered for two years of commercial use. This warranty covers manufacturing defects for two years, including parts and labor (excludes wear items).

### 3-YEAR CUTTER DECK SPINDLE WARRANTY\*

Velocity Plus™ and Advantage™ cutter decks are equipped with the exclusive Scag heavy-duty, cast-iron cutter blade spindle. We ensure our spindle's dependability, not only through its top-quality construction, but also through complete coverage of parts and labor for the first and second years, and parts only for the third year. Applies to commercial and non-commercial use.

### 3-YEAR OR 500-HOUR NON-COMMERCIAL\*\* MACHINE WARRANTY\*

Frame and structural components including oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors are covered for three years or 500 hours (whichever comes first) of non-commercial use. This warranty covers manufacturing defects for three years or 500 hours (whichever comes first), including parts and labor (excludes wear items).

## PATRIOT & SWZT WARRANTY

### 2-YEAR COMMERCIAL MACHINE WARRANTY\*

### 3-YEAR OR 500-HOUR NON-COMMERCIAL\*\* MACHINE WARRANTY\*

## FREEDOM Z & SFC WARRANTY

### 1-YEAR COMMERCIAL MACHINE WARRANTY\*

### 3-YEAR OR 500-HOUR NON-COMMERCIAL\*\* MACHINE WARRANTY\*

## LIBERTY Z WARRANTY

### 5-YEAR OR 750-HOUR NON-COMMERCIAL\*\* MACHINE WARRANTY\*

## SLS WARRANTY

### 3-YEAR OR 300-HOUR NON-COMMERCIAL\*\* MACHINE WARRANTY\*

## AERSTORM AERATOR, TURF STORM SPREADER-SPRAYERS, TRUCK LOADERS, WINDSTORM, EXTREME PRO BLOWER & EXTREME BLOWER WARRANTY

### 2-YEAR COMMERCIAL MACHINE WARRANTY\*

Frame and structural components including frame, blower housing, oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors (where applicable) are covered for two years of commercial use. This warranty covers manufacturing defects for two years, including parts and labor (excludes wear items).

## CLASSIC BLOWER WARRANTY

### 1-YEAR COMMERCIAL MACHINE WARRANTY\*

### 2-YEAR NON-COMMERCIAL\*\* MACHINE WARRANTY\*

## JACKAL WARRANTY

### 2-YEAR OR 2,000-HOUR COMMERCIAL MACHINE WARRANTY\*

### 1-YEAR OR 1,000-HOUR RENTAL USE WARRANTY\*

## ALL PRODUCTS

### 90-DAY WEAR ITEM WARRANTY & RENTAL USE\*

Wear items, including drive belts, blades, hydraulic hoses, tires and batteries, and rental use are warranted for 90 days.

### ENGINE WARRANTY

Engines and engine components are covered by the individual engine manufacturer. See engine owner's manual for warranty period and details.

## SCAG EXTENDED WARRANTY PROGRAM\*\*\*

Scag's new Extended Warranty Program is better than ever. For only a few dollars per month when financed with this machine, you can protect your investment and enjoy peace-of-mind knowing that your Scag equipment is covered for years to come. Consult with your Scag Dealer for more information.

\* Warranty time periods are from the date of purchase, are only applicable to the original owner and are non-transferable. Warranty does not cover wear items, misuse, abuse, lack of maintenance, etc. See the Limited Warranty Statement in your owner's manual for more details.

\*\* "Non-Commercial" is defined as single-property usage, where the single property is the residence of the owner of the product. If the product is being used on more than the owner's single property, it is deemed commercial use and this warranty does not apply. Scag Power Equipment reserves the right to deny and/or void this warranty if evidence clearly points to commercial use.

\*\*\* Excludes wear items such as belts, tires, battery. Warranty does not cover wear items, misuse, abuse, lack of maintenance, etc. See the Limited Warranty Statement in your owner's manual for more details. Depending on model. Manufacturer warranties of 1-year or less are doubled. Manufacturer warranties greater than 1-year and less than 5-years are extended to 5 full years in total.