

SCAG
POWER EQUIPMENT

FREEDOM Z



#ScagNation Profile



Photo property of Scag.



JACKSON S.

Louisville, KY

**SCAG OWNER FOR 2 YEARS
COMMERCIAL OPERATOR**

FAVORITE FEATURE OF YOUR SCAG?

"The quality-of-cut is unsurpassed."

**HOW DOES OWNING A SCAG
IMPROVE YOUR BUSINESS?**

"After I cut with a Scag for the first time, I decided to start a lawn business."



Actual product may differ from photos.

FEATURES & SPECIFICATIONS

- 48" or 52" Hero™ cutter deck with anti-scalp rollers provides a beautiful quality-of-cut.
- Hero cutter deck features sealed aluminum spindles with ball bearings that deliver maintenance-free, high-performance operation; ½"-thick mounting flange.
- Comfortable, thick-cushioned seat is easily adjustable and delivers a high level of operator comfort.
- Low-maintenance mower design reduces grease points for operator convenience.
- 6.5-gallon total fuel capacity maximizes refueling intervals to save time and get the job done fast.
- Cup holder and storage tray built into fuel tank for operator convenience.
- Innovative height-of-cut adjustment is quick and conveniently adjusts from 1" to 4½" in ¼" increments.
- Easy-to-read fuel gauge adds convenience.
- Interlocked parking brake system prevents movement when parked on slopes. The mower will not operate with the brake on, preventing premature brake wear.
- Self-adjusting belt systems keep belts in constant, proper adjustment for long life.
- Hydro-Gear® ZT-2800® hydro transaxles (2 independent units with charge pumps and all-metal gears) deliver smooth drive power while spin-on oil filters provide easy maintenance.
- Large front caster tires and 20" drive tires ensure solid traction and a smooth ride.
- Digital hour meter features preprogrammed maintenance reminders to help you keep your mower running great.
- Ground speeds up to 8 mph for high productivity.
- Highly flexible discharge chute will not dent and is easy on the landscape.
- Low-profile, fixed-position Roll-Over Protection System (ROPS). Foldable ROPS option available as an accessory.
- Extra-low center of gravity for maximum stability over challenging terrain.
- Commercial-grade powder coat paint for an attractive, professional finish and increased durability.
- 3-year/500-hour non-commercial or 1-year commercial mower warranty. See the Scag® Limited Warranty Statement for complete details.




Powerful V-Twin engine options up to 26 hp provide smooth, reliable power.




Convenient operator station puts the mower controls within easy reach.



Cutter-deck-lift foot pedal is spring-assisted and makes raising the cutter deck smooth and easy.



Pierced, extruded-steel footplate for enhanced comfort.



Four-corner deck-leveling system ensures easy cutter-deck adjustments for an even cut.



Ogura GT1 (74 ft lb) PTO clutch brake for easy deck engagement. Adjustable internal air gap for long life.



TURF TIGER II™

MODEL NUMBER	DECK WIDTH	HP*	ENGINE
STTII-52V-25CH-LP-EFI	52"	25	Kohler® Command PRO® LP – propane-powered, electronic fuel injection
STTII-52V-31BV		31	Briggs Vanguard® BIG BLOCK™
STTII-61V-25CH-LP-EFI	61"	25	Kohler® Command PRO® LP – propane-powered, electronic fuel injection
STTII-61V-25KBD		25	Kubota® – 3-cylinder, diesel-powered
STTII-61V-31BV		31	Briggs Vanguard® BIG BLOCK™
STTII-61V-31DFI		31	Kawasaki® – digital fuel injection, liquid-cooled
STTII-61V-40BV-EFI	72"	40	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
STTII-72V-25KBD		25	Kubota® – 3-cylinder, diesel-powered
STTII-72V-31DFI		31	Kawasaki® – digital fuel injection, liquid-cooled
STTII-72V-40BV-EFI		40	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection



CHEETAH II™

SCZII-61V-37BV-EFI	61"	37	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
SCZII-61V-38FX-EFI		38	Kawasaki® FX – electronic fuel injection
SCZII-61RD-38FX-EFI		38	Kawasaki® FX – electronic fuel injection
SCZII-72V-37BV-EFI	72"	37	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
SCZII-72V-38FX-EFI		38	Kawasaki® FX – electronic fuel injection



TIGER CAT II

STCII-48V-22FX	48"	22	Kawasaki® FX
STCII-52V-26FT-EFI	52"	26	Kawasaki® FT – electronic fuel injection
STCII-52V-28BV-EFI		28	Briggs Vanguard® BIG BLOCK™
STCII-61V-26FT-EFI	61"	26	Kawasaki® FT – electronic fuel injection
STCII-61V-32BV		32	Briggs Vanguard® BIG BLOCK™



PATRIOT™

SPZ-52H-22FX	52"	22	Kawasaki® FX – V-twin
SPZ-52H-23CV		23	Kohler® Command PRO® – V-twin
SPZ-52H-26BV		26	Briggs Vanguard® – V-twin
SPZ-61H-23FX	61"	23	Kawasaki® FX – V-twin
SPZ-61H-25CV		25	Kohler® Command PRO® – V-twin
SPZ-61H-26BV		26	Briggs Vanguard® – V-twin



FREEDOM Z®

SFZ-48H-24KT	48"	24	Kohler® 7000 Series – V-Twin
SFZ-52H-26KT	52"	26	Kohler® 7000 Series – V-Twin


LIBERTY® Z

MODEL NUMBER	DECK WIDTH	HP*	ENGINE
SZL-36H-18FR	36"	18	Kawasaki® FR – V-twin
SZL-36H-20KT		20	Kohler® 7000 series – V-twin
SZL-42H-22KT	42"	22	Kohler® 7000 series – V-twin
SZL-48H-22KT	48"	22	Kohler® 7000 series – V-twin
SZL-52H-23FR	52"	23	Kawasaki® FR – V-twin
SZL-61H-24FR	61"	26	Kawasaki® FR – V-twin


V-RIDE II™

SVRII-32A-16FX	32"	16	Kawasaki® FX – V-twin
SVRII-36A-19FX	36"	19	Kawasaki® FX – V-twin
SVRII-48V-22FX	48"	22	Kawasaki® FX – V-twin
SVRII-52V-26FT-EFI	52"	26	Kawasaki® FT – electronic fuel injection
SVRII-52V-37BV-EFI		37	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
SVRII-61V-38FX-EFI	61"	38	Kawasaki® FX – V-twin – electronic fuel injection
SVRII-61V-40BV-EFI		40	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection


SWZ

SWZ-36A-14FS	36"	14	Kawasaki® FS – V-twin
SWZ-48V-15FSE	48"	15	Kawasaki® FS – V-twin, electric-start
SWZ-52V-18FSE	52"	18	Kawasaki® FS – V-twin, electric-start
SWZL-52V-22FSE		22	Kawasaki® FS – V-twin, electric-start
SWZL-61V-22FSE	61"	22	Kawasaki® FS – V-twin, electric-start


SW

SW-32-14FS	32"	14	Kawasaki® FS – V-Twin
SW-36A-14FS	36"	14	Kawasaki® FS – V-Twin
SW-48V-14FS	48"	14	Kawasaki® FS – V-Twin
SW-52V-15FS	52"	15	Kawasaki® FS – V-Twin


SWZT

SWZT-36H-14FS	36"	14	Kawasaki® FS – V-Twin
SWZT-48H-15FSE	48"	15	Kawasaki® FS – V-Twin, electric-start
SWZT-52H-18FSE	52"	18	Kawasaki® FS – V-Twin, electric-start
SWZT-61H-22FSE	61"	22	Kawasaki® FS – V-Twin, electric-start


SFC

SFC-30-7CV	30"	7	Kohler® Command PRO® CV224
SFC-30-7CV-CA		7	Kohler® Command PRO® CV224 (California)
SFC-30-7CV-S (front swivel wheels)		7	Kohler® Command PRO® CV224
SFC-30-7CV-S-CA (front swivel wheels)		7	Kohler® Command PRO® CV224 (California)

Model lineup is subject to change. Check Scag.com and consult with your local Scag Dealer for current availability.

*Engine power levels as rated by the manufacturer. All models subject to availability.