

# BELT DRIVEN WALK BEHIND

## FEATURES

- 2-year commercial warranty
- Ergonomically designed hand grips and controls
- Recoil and electric start options
- Easy pull pin height adjustment on floating deck
- Great for hard-to-reach, narrow spaces
- Discharge, mulch, or collect

### WY MODELS

**2 YEAR**  
PARTS & LABOR  
**LIMITED**  
DECK **10**  
WARRANTY YEARS



Walk Behind | Grass Catcher

## 28" WALK BEHINDS

MODEL NUMBER	WY28X11BS	WY28X11BSE	WY28X11HD
LENGTH	60.5"	60.5"	60.5"
WIDTH	38"	38"	38"
WIDTH W/ DEFLECTOR UP	30"	30"	30"
WHEELBASE	28.1"	28.1"	28.1"
WHEEL TRACK WIDTH	22.6"	22.6"	22.6"
WEIGHT	314 lbs	347 lbs	324 lbs
FRONT TIRES	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth
REAR TIRES	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel	11 ga. Steel
CUT WIDTH	28	28	28
CUTTING HEIGHTS	1.5" - 4"	1.5" - 4"	1.5" - 4"
PTO	Manual	Manual	Manual
FUEL CAPACITY	2	2	2
ENGINE BRAND	B&S	B&S	Honda
ENGINE HP	10.5	10.5	10.7
FORWARD SPEED	3.55 mph	3.55 mph	3.55 mph
POWERED REVERSE	No	No	No
BLADES	2 - 14.5"	2 - 14.5"	2 - 14.5"
TRANSMISSION	3-Speed Forward	3-Speed Forward	3-Speed Forward

## 32" WALK BEHINDS

MODEL NUMBER	WY32X11BS	WY32X11BSE	WY32X11HD	WY32X11HDE
LENGTH	66.1"	66.1"	66.1"	66.1"
WIDTH	41.3"	41.3"	41.3"	41.3"
WIDTH W/ DEFLECTOR UP	32.8"	32.8"	32.8"	32.8"
WHEELBASE	31.8"	31.8"	31.8"	31.8"
WHEEL TRACK WIDTH	23.7"	23.7"	23.7"	23.7"
WEIGHT	333 lbs	366 lbs	349 lbs	433 lbs
FRONT TIRES	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth	8 - 3.00 x 4 smooth
REAR TIRES	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf	13 - 4.00 x 6 turf
DECK MATERIAL	11 ga. Steel	11 ga. Steel	11 ga. Steel	11 ga. Steel
CUT WIDTH	32	32	32	32
CUTTING HEIGHTS	1.5" - 4"	1.5" - 4"	1.5" - 4"	1.5" - 4"
PTO	Manual	Manual	Manual	Manual
FUEL CAPACITY	2	2	2	2
ENGINE BRAND	B&S	B&S	Honda	Honda
ENGINE HP	10.5	10.5	10.7	10.7
FORWARD SPEED	3.55 mph	3.55 mph	3.55 mph	3.55 mph
POWERED REVERSE	No	No	No	No
BLADES	2 - 16.5"	2 - 16.5"	2 - 16.5"	2 - 16.5"
TRANSMISSION	3-Speed Forward	3-Speed Forward	3-Speed Forward	3-Speed Forward

# BELT DRIVEN WALK BEHIND

## FEATURES


- 3-year commercial and residential warranty
- Unique belt transmission system to guarantee long lifetime
- Stand-on sulky available
- Ergonomically designed hand grips, controls promote ease-of-use, and operator comfort
- Kawasaki FS Series



Walk Behind | Optional Stand-on Sulky

## WYW MODELS





Right Side View

## 36" WALK BEHINDS

<b>MODEL NUMBER</b>	<b>WYW36FS481V</b>
<b>LENGTH</b>	73"
<b>WIDTH</b>	47"
<b>WIDTH W/ DEFLECTOR UP</b>	36.5"
<b>WHEELBASE</b>	35"
<b>WHEEL TRACK WIDTH</b>	28.5"
<b>WEIGHT</b>	452 lbs
<b>FRONT TIRES</b>	4.10 - 3.50 x 4 smooth
<b>REAR TIRES</b>	13 - 6.50 x 6 turf
<b>DECK MATERIAL</b>	10 ga. Steel
<b>CUT WIDTH</b>	36
<b>CUTTING HEIGHTS</b>	1" - 4"
<b>PTO</b>	Electric
<b>FUEL CAPACITY</b>	4
<b>ENGINE BRAND</b>	KAW
<b>ENGINE HP</b>	14.5
<b>FORWARD SPEED</b>	5 mph
<b>POWERED REVERSE</b>	Yes
<b>BLADES</b>	2 - 18"
<b>TRANSMISSION</b>	5-Speed Peerless w/ Reverse

## 48" WALK BEHINDS

<b>MODEL NUMBER</b>	<b>WYW48FS481V</b>
<b>LENGTH</b>	73"
<b>WIDTH</b>	59.5"
<b>WIDTH W/ DEFLECTOR UP</b>	49"
<b>WHEELBASE</b>	35"
<b>WHEEL TRACK WIDTH</b>	28.5"
<b>WEIGHT</b>	512 lbs
<b>FRONT TIRES</b>	4.10 - 3.50 x 4 smooth
<b>REAR TIRES</b>	13 - 6.50 x 6 turf
<b>DECK MATERIAL</b>	10 ga. Steel
<b>CUT WIDTH</b>	48
<b>CUTTING HEIGHTS</b>	1" - 4"
<b>PTO</b>	Electric
<b>FUEL CAPACITY</b>	4
<b>ENGINE BRAND</b>	KAW
<b>ENGINE HP</b>	14.5
<b>FORWARD SPEED</b>	5 mph
<b>POWERED REVERSE</b>	Yes
<b>BLADES</b>	3 - 16.25"
<b>TRANSMISSION</b>	5-Speed Peerless w/ Reverse