

LEADER OF THE PACK

TAKE COMMAND AND TAKE ON ANY JOB

As the apex predator of turf, the Turf Tiger II™ is tougher than any job you can throw at it. Engineered for superior durability, productivity and comfort, you'll have the advantage over whatever job you decide to take on.



SCAG
POWER EQUIPMENT

FEATURES & SPECIFICATIONS

- 1 High-strength, double-tube steel frame ensures a solid foundation for years of reliable service; replaceable front caster wheel weldment.
 - 2 Up to 12 mph forward speed for maximum productivity.
 - 3 Command-Comfort Operator Station features unprecedented levels of adjustability and ergonomics for maximum comfort and convenience.
- Fabricated, welded and reinforced Velocity Plus™ cutter deck is ultra-strong and true commercial-grade. Tri-Plate deck is nearly ½" thick.
 - Tiger Eye™ Advanced Monitoring System keeps a constant, real-time "eye" on important system functions of the Turf Tiger II. (Specific functions vary by mower model and engine.)
 - Flat-free caster tires reduce maintenance costs and keep you in the field, cutting grass.

- Large 6-ply, 26" drive tires deliver superior traction and a smooth ride.




TURF TIGER II



Heavy-duty drive system features dual 16 cc pumps and high-torque 18 ci Parker wheel motors for responsive, dependable power. Cooling fans help maintain safe operating temperatures.



Heavy-duty driveshaft delivers solid, dependable power to the cutter deck. Specially engineered for ease of maintenance.



Oil cooler keeps hydraulic temperatures low for efficient operation, added reliability and long component life.

FUEL INJECTION

MAXIMIZE POWER & REDUCE FUEL COSTS

The Scag® Turf Tiger II is available with an air-cooled Briggs & Stratton® Vanguard® BIG BLOCK™ EFI engine. This engine is equipped with electronic fuel injection (EFI) to reduce fuel consumption and maximize power. The Turf Tiger II can also be outfitted with a Kawasaki® FD850D-DFI (digital fuel injection) or propane-powered Kohler® Command PRO® EFI engine that optimizes fuel economy and maximizes your profitability.

PROPANE
ELECTRONIC FUEL-INJECTION

PROPANE ELECTRONIC FUEL-INJECTOR
A Kohler Command PRO EFI propane-powered engine and a standard industrial, 33.5 lb/7.9-gallon, aluminum LP tank, keep you mowing even on Ozone Action Days. Vapor withdrawal for maximum reliability.

DIESEL
POWERED

DIESEL-POWERED
The 3-cylinder, liquid-cooled, 25 hp Kubota® diesel engine delivers big power and torque. Operators are sure to enjoy its maximum fuel efficiency, cleaner exhaust and low noise levels.

Actual product may differ from photos.

ZERO-TURN MOWERS



TURF TIGER II



CHEETAH II



TIGER CAT II

	TURF TIGER II	CHEETAH II	TIGER CAT II
Total Fuel Capacity	12 gallons (gas/diesel) 33.5 lbs. (LP)	13 gallons	9.5 gallons
Drive Tires	26" x 9.5" - 12" (52") 26" x 12" - 12" (61" and 72")	24" x 12"-12"	24" x 9.5"-12" (48" and 52") 24" x 12"-12" (61")
Caster Tires	13 x 6.5 - 6	13" x 6.5"-6"	13" x 6.5"-6"
Seat	4-point iso-mounted torsion-spring suspension seat	4-point iso-mounted mid-back mounted on operator-suspension platform	4-point iso-mounted torsion-spring suspension seat
Drive System Type	Dual Pump and Motor	Hydro-Gear ZT5400 Transaxle Two-Speed	Dual Pump and Motor
Pumps	Hydro-Gear: 16cc	Internal Pump: 16 cc	Hydro-Gear 12 cc
Motors	Parker: 18ci	Internal Motor: 21 cc	Parker 14.5 ci
Forward Ground Speed	12 MPH (gas/LP) 10 MPH (diesel)	16 mph (high-range) 12 mph (low-range)	12 mph
Reverse Ground Speed	6 MPH	8 mph (high-range) 5 mph (low-range)	5 mph
Parking Brake	Adjustable foot-operated pedal AUSCO disc brakes	Foot-operated pedal	Foot-operated pedal
Cutting Widths	52", 61" and 72"	61" and 72"	48", 52" and 61"
Deck Type	Velocity Plus™ cutter deck	Velocity Plus™ cutter deck	Velocity Plus™ cutter deck
Cutting Height	1.5" to 6" in .25" increments	1.25" to 5" in .25" increments	1" to 5" in .25" increments
Deck Lift	Adjustable foot-operated pedal	Adjustable foot-operated pedal	Adjustable foot-operated pedal
Deck Construction	Tri-plate cutter deck constructed of 3 steel plates totaling nearly 1/2" of steel. Reinforcement plates at cutter deck spindles.	Tri-plate cutter deck constructed of 3 steel plates totaling nearly 1/2" of steel. Reinforcement plates at cutter deck spindles.	Tri-plate cutter deck constructed of 3 steel plates totaling nearly 1/2" of steel. Reinforcement plates at cutter deck spindles.
Deck Spindles	Cast-iron housing with tapered roller bearings	Cast-iron housing with tapered roller bearings	Cast-iron housing with tapered roller bearings
Blade Engagement	Ogura GT3.5 (250 ft lb) Ogura GT5 (350 ft lb) (38CV-EFI and Briggs Vanguard® models) Adjustable air-gap for extended life	Ogura GT5 (350 ft lb) Adjustable air-gap for extended life	Ogura GT3.5 (250 ft lb) Adjustable air-gap for extended life

SPECIFICATIONS

	MODEL NUMBER	DECK WIDTH	ENGINE	HP*
TURF TIGER II™	GASOLINE POWERED			
	STTII-52V-26CV-EFI	52"	Kohler® Command PRO® EFI – electronic fuel injection	26
	STTII-61V-31DFI	61"	Kawasaki® FD Series DFI – digital fuel injected, liquid-cooled	31
	STTII-61V-33BV		Vanguard™ BIG BLOCK™	33
	STTII-61V-38CH-EFI		Kohler® Command PRO® EFI – electronic fuel injection	38
	STTII-61V-40BV-EFI		Vanguard™ BIG BLOCK™ EFI – electronic fuel injection	40
	STTII-72V-31DFI	72"	Kawasaki® FD Series DFI – digital fuel injected, liquid-cooled	31
	STTII-72V-38CH-EFI		Kohler® Command PRO® EFI – electronic fuel injection	38
	STTII-72V-40BV-EFI		Vanguard™ BIG BLOCK™ EFI – electronic fuel injection	40
	DIESEL POWERED			
	STTII-61V-25KBD	61"	Kubota® – Diesel Powered, liquid-cooled	25
	STTII-72V-25KBD	72"	Kubota® – Diesel Powered, liquid-cooled	25
	LP POWERED			
	STTII-52V-25CH-LP-EFI	52"	Kohler® Command PRO® EFI – Propane Powered, electronic fuel injection	25
STTII-61V-25CH-LP-EFI	61"	Kohler® Command PRO® EFI – Propane Powered, electronic fuel injection	25	
CHEETAH II™	SCZII-61V-36BV**	61"	Vanguard™ BIG BLOCK™	36
	SCZII-61V-37BV-EFI		Vanguard™ BIG BLOCK™ EFI – electronic fuel injection	37
	SCZII-61V-38CV-EFI ■		Kohler® Command PRO® EFI – electronic fuel injection	38
	SCZII-61V-38FX-EFI		Kawasaki® FX Series EFI – electronic fuel injection	38
	SCVII-61V-40BV-EFI		Vanguard™ BIG BLOCK™ EFI – electronic fuel injection	40
	SCZII-72V-37BV-EFI	72"	Vanguard™ BIG BLOCK™ EFI – electronic fuel injection	37
	SCZII-72V-38CV-EFI ■		Kohler® Command PRO® EFI – electronic fuel injection	38
	SCZII-72V-38FX-EFI		Kawasaki® FX Series EFI – electronic fuel injection	38
	SCZII-72V-40BV-EFI		Vanguard™ BIG BLOCK™ EFI – electronic fuel injection	40
	REAR DISCHARGE			
	SCZII-61RD-38FX-EFI	61"	Kawasaki® FX Series EFI – electronic fuel injection	38
	SCZII-61RD-38CV-EFI ■		Kohler® Command PRO® EFI – electronic fuel injection	38
	SCZII-72RD-40BV-EFI	72"	Vanguard™ BIG BLOCK™ EFI – electronic fuel injection	40
	TIGER CAT® II	STCII-48V-22FX	48"	Kawasaki® FX Series
STCII-48V-23CV ■		Kohler® Command PRO®		23
STCII-52V-25CV-EFI ■		52"	Kohler® Command PRO® EFI – electronic fuel injection	25
STCII-52V-26FT-EFI			Kawasaki® FT Series – electronic fuel injection	26
STCII-52V-28BV-EFI			Vanguard™ 810 EFI – electronic fuel injection	28
STCII-52V-36BV			Vanguard™ BIG BLOCK™	36
STCII-61V-26CV-EFI ■		61"	Kohler® Command PRO® EFI – electronic fuel injection	26
STCII-61V-26FT-EFI			Kawasaki® FT Series EFI – electronic fuel injection	26
STCII-61V-36BV			Vanguard™ BIG BLOCK™	36

Model lineup is subject to change. Check Scag.com and consult with your local Scag Dealer for current availability.

*Engine power levels as rated by the manufacturer. All models subject to availability.

**Non-suspension seat

KEY. ■ BLACKOUT EDITION

LEAVE THE WORRY BEHIND

Since Scag® Power Equipment was established in 1983, we’ve built an industry-wide reputation for producing reliable, heavy-duty commercial equipment. We are proud of the quality of our mowers and their well-earned reputation for durability. The Scag warranty policy shows our commitment to you and to the products we manufacture. See your local Scag dealer for details on the warranty policy or reference the Limited Warranty Statement included in your operator’s manual.

	TURF TIGER II™	CHEETAH II™	TIGER CAT® II	PATRIOT™	FREEDOM Z®	LIBERTY Z	SLS	EVZ	V-RIDE XL	V-RIDE II™	SWZT	SWZ	SW	SFCII-30	SFC-21	TURF STORM™ XL	TURF STORM™	AERSTORM™	WINDSTORM®	EXTREME PRO BLOWER	EXTREME BLOWER	CLASSIC BLOWER	TRUCK LOADERS	JACKAL
1-YEAR COMMERCIAL MACHINE WARRANTY*					•									•	•							•		
2-YEAR COMMERCIAL MACHINE WARRANTY*	•	•	•	•				•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
3-YEAR CUTTER DECK SPINDLE WARRANTY*	•	•	•						•	•		•	•											
3-YEAR OR 300-HOUR NON-COMMERCIAL** MACHINE WARRANTY*							•																	
3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY*	•	•	•	•	•			•	•	•	•	•	•	•	•									
5-YEAR OR 750-HOUR NON-COMMERCIAL** MACHINE WARRANTY*						•																		
90-DAY WEAR ITEM WARRANTY*	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
90-DAY RENTAL USE WARRANTY*	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1-YEAR OR 1,000-HOUR RENTAL USE WARRANTY*																								•
ENGINE WARRANTY	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•



TURF TIGER II, CHEETAH II, TIGER CAT II, V-RIDE II, SWZ & SW WARRANTY

2-YEAR COMMERCIAL MACHINE WARRANTY*
Frame and structural components including oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors are covered for two years of commercial use. This warranty covers manufacturing defects for two years, including parts and labor (excludes wear items).

3-YEAR CUTTER DECK SPINDLE WARRANTY*
Velocity Plus™ and Advantage™ cutter decks are equipped with the exclusive Scag heavy-duty, cast-iron cutter blade spindle. We ensure our spindle’s dependability, not only through its top-quality construction, but also through complete coverage of parts and labor for the first and second years, and parts only for the third year. Applies to commercial and non-commercial use.

3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY*
Frame and structural components including oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors are covered for three years or 500 hours (whichever comes first) of non-commercial use. This warranty covers manufacturing defects for three years or 500 hours (whichever comes first), including parts and labor (excludes wear items).

PATRIOT & SWZT WARRANTY
2-YEAR COMMERCIAL MACHINE WARRANTY*
3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

FREEDOM Z & SFC WARRANTY
1-YEAR COMMERCIAL MACHINE WARRANTY*
3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

LIBERTY Z WARRANTY
5-YEAR OR 750-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

SLS WARRANTY
3-YEAR OR 300-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

* Warranty time periods are from the date of purchase, are only applicable to the original owner and are non-transferable. Warranty does not cover wear items, misuse, abuse, lack of maintenance, etc. See the Limited Warranty Statement in your owner’s manual for more details.
** “Non-Commercial” is defined as single-property usage, where the single property is the residence of the owner of the product. If the product is being used on more than the owner’s single property, it is deemed commercial use and this warranty does not apply. Scag Power Equipment reserves the right to deny and/or void this warranty if evidence clearly points to commercial use.
*** Excludes wear items such as belts, tires, battery. Warranty does not cover wear items, misuse, abuse, lack of maintenance, etc. See the Limited Warranty Statement in your owner’s manual for more details. Depending on model. Manufacturer warranties of 1-year or less are doubled. Manufacturer warranties greater than 1-year and less than 5-years are extended to 5 full years in total.

WARRANTIES

AERSTORM AERATOR, TURF STORM SPREADER-SPRAYERS, TRUCK LOADERS, WINDSTORM, EXTREME PRO BLOWER & EXTREME BLOWER WARRANTY

2-YEAR COMMERCIAL MACHINE WARRANTY*
Frame and structural components including frame, blower housing, oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors (where applicable) are covered for two years of commercial use. This warranty covers manufacturing defects for two years, including parts and labor (excludes wear items).

CLASSIC BLOWER WARRANTY
1-YEAR COMMERCIAL MACHINE WARRANTY*
2-YEAR NON-COMMERCIAL** MACHINE WARRANTY*

JACKAL WARRANTY
2-YEAR OR 2,000-HOUR COMMERCIAL MACHINE WARRANTY*
1-YEAR OR 1,000-HOUR RENTAL USE WARRANTY*

ALL PRODUCTS
90-DAY WEAR ITEM WARRANTY & RENTAL USE*
Wear items, including drive belts, blades, hydraulic hoses, tires and batteries, and rental use are warranted for 90 days.

ENGINE WARRANTY
Engines and engine components are covered by the individual engine manufacturer. See engine owner’s manual for warranty period and details.

SCAG EXTENDED WARRANTY PROGRAM***
Scag's new Extended Warranty Program is better than ever. For only a few dollars per month when financed with this machine, you can protect your investment and enjoy peace-of-mind knowing that your Scag equipment is covered for years to come. Consult with your Scag Dealer for more information.