

SCAG
POWER EQUIPMENT

V-RIDE II



#ScagNation Profile



MATTHEW H.

Mount Vernon, OH

**SCAG OWNER FOR 1 YEAR
COMMERCIAL OPERATOR**

WHY DID YOU CHOOSE SCAG?

"Being in the green industry, you need reliable and long-lasting equipment, and that's why I chose Scag. They have excellent support and they are built to last!"



Actual product may differ from photos.

FEATURES & SPECIFICATIONS

- Spacious operator platform with adjustable suspension delivers a smooth ride and reduces operator fatigue.
- Scag® heavy-duty cutter deck spindles with 1 $\frac{1}{8}$ " hardened-steel shaft, cast-iron housing and greaseable, tapered roller bearings provide reliable strength. Spindles covered by a 3-year warranty.
- Strong, reliable Ogura PTO clutch engages and disengages the blades quickly and easily with adjustable air gap for long life. Models with 37 hp or more feature a SoftStart Electric Clutch Controller.
- Powerful and efficient Kawasaki® and Briggs Vanguard® engines provide smooth, reliable power. EFI options deliver exceptional fuel efficiency and dependable performance.
- Heavy-duty canister air filter available on Briggs Vanguard and Kawasaki FX and FX EFI engines.
- Heavy-duty steel frame construction ensures a solid foundation for long life.
- Built-in tie-down points allow for quick and easy transport.
- Large drive tires provide surefooted traction: 20" tires on the 32" and 36" models; 24" tires on the 48", 52" and 61" models.
- Rugged dual hydraulic drive system delivers dependable power with 12 cc Hydro-Gear® pumps with cooling fans; 10 cc pumps on 32" and 36" V-Ride II™.
- Productive ground speeds help get the job done fast: up to 10.5 mph on most models; up to 8.5 mph on 32" and 36" models.
- Large 8-gallon fuel tank (6.75-gallon fuel tank on the 36" and 5-gallon on the 32" models). All models feature large, angled filler neck and fuel gauge for operator convenience.
- Flat-free (semi-pneumatic) front caster tires eliminate downtime and expense caused by flat tires.
- Tiger Eye™ Advanced Monitoring System keeps a constant, real-time "eye" on important system functions of the V-Ride II. (Specific functions vary by mower model and engine. Not available on 32" or 36" models.)
- The 32" and 36" Advantage™ and the 48", 52" and 61" Velocity Plus™ Cutter Decks provide an unmatched quality-of-cut and a wide, even discharge. Tri-Plate deck tops on 36"-61" models are nearly $\frac{1}{2}$ " thick.
- The V-Ride II is covered by a strong 2-year commercial or 3-year/500-hour non-commercial mower warranty. See the Scag Limited Warranty Statement for details.
- A variety of accessories are available for the V-Ride II such as:
 - 2-Bag Spindle-Driven Grass Catcher.
 - Side-Mounted Fabric Grass Catcher.
 - Hurricane Plus™ Mulch System.
 - Blade Buddy™.
 - Operator-Controlled Discharge Chute (OCDC).
 - LED Light Kit.

See page 53 for additional options.



Ergonomic operator controls provide incredible ease of use along with maximum comfort. Intuitive control design minimizes the learning curve for new operators.



Easily change cutting heights in the field with no tools (1 $\frac{1}{2}$ " to 4 $\frac{1}{2}$ " in $\frac{1}{4}$ " increments). Deck can be lifted from the operating position with the pull of a spring-assisted lever.



Easy-to-reach, full-featured instrument panel has ignition key, cutter-deck-engagement switch, throttle, choke and Tiger Eye Advanced Monitoring System. (Tiger Eye not available on 32" and 36" V-Ride II models.)



Extra-large comfort cushion allows for comfortable operation, hour after hour. Adjustable platform suspension further enhances operator comfort.



Comfort cushion and lower panel are removable to allow quick and easy service access to the hydraulic system.



TURF TIGER II™

MODEL NUMBER	DECK WIDTH	HP*	ENGINE
STTII-52V-25CH-LP-EFI	52"	25	Kohler® Command PRO® LP – propane-powered, electronic fuel injection
STTII-52V-31BV		31	Briggs Vanguard® BIG BLOCK™
STTII-61V-25CH-LP-EFI	61"	25	Kohler® Command PRO® LP – propane-powered, electronic fuel injection
STTII-61V-25KBD		25	Kubota® – 3-cylinder, diesel-powered
STTII-61V-31BV		31	Briggs Vanguard® BIG BLOCK™
STTII-61V-31DFI		31	Kawasaki® – digital fuel injection, liquid-cooled
STTII-61V-40BV-EFI	72"	40	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
STTII-72V-25KBD		25	Kubota® – 3-cylinder, diesel-powered
STTII-72V-31DFI		31	Kawasaki® – digital fuel injection, liquid-cooled
STTII-72V-40BV-EFI		40	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection



CHEETAH II™

SCZII-61V-37BV-EFI	61"	37	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
SCZII-61V-38FX-EFI		38	Kawasaki® FX – electronic fuel injection
SCZII-61RD-38FX-EFI		38	Kawasaki® FX – electronic fuel injection
SCZII-72V-37BV-EFI	72"	37	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
SCZII-72V-38FX-EFI		38	Kawasaki® FX – electronic fuel injection



TIGER CAT II™

STCII-48V-22FX	48"	22	Kawasaki® FX
STCII-52V-26FT-EFI	52"	26	Kawasaki® FT – electronic fuel injection
STCII-52V-28BV-EFI		28	Briggs Vanguard® BIG BLOCK™
STCII-61V-26FT-EFI	61"	26	Kawasaki® FT – electronic fuel injection
STCII-61V-32BV		32	Briggs Vanguard® BIG BLOCK™



PATRIOT™

SPZ-52H-22FX	52"	22	Kawasaki® FX – V-twin
SPZ-52H-23CV		23	Kohler® Command PRO® – V-twin
SPZ-52H-26BV		26	Briggs Vanguard® – V-twin
SPZ-61H-23FX	61"	23	Kawasaki® FX – V-twin
SPZ-61H-25CV		25	Kohler® Command PRO® – V-twin
SPZ-61H-26BV		26	Briggs Vanguard® – V-twin



FREEDOM Z®

SFZ-48H-24KT	48"	24	Kohler® 7000 Series – V-Twin
SFZ-52H-26KT	52"	26	Kohler® 7000 Series – V-Twin


LIBERTY® Z

MODEL NUMBER	DECK WIDTH	HP*	ENGINE
SZL-36H-18FR	36"	18	Kawasaki® FR – V-twin
SZL-36H-20KT		20	Kohler® 7000 series – V-twin
SZL-42H-22KT	42"	22	Kohler® 7000 series – V-twin
SZL-48H-22KT	48"	22	Kohler® 7000 series – V-twin
SZL-52H-23FR	52"	23	Kawasaki® FR – V-twin
SZL-61H-24FR	61"	26	Kawasaki® FR – V-twin


V-RIDE II™

SVRII-32A-16FX	32"	16	Kawasaki® FX – V-twin
SVRII-36A-19FX	36"	19	Kawasaki® FX – V-twin
SVRII-48V-22FX	48"	22	Kawasaki® FX – V-twin
SVRII-52V-26FT-EFI	52"	26	Kawasaki® FT – electronic fuel injection
SVRII-52V-37BV-EFI		37	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection
SVRII-61V-38FX-EFI	61"	38	Kawasaki® FX – V-twin – electronic fuel injection
SVRII-61V-40BV-EFI		40	Briggs Vanguard® BIG BLOCK™ – electronic fuel injection


SWZ

SWZ-36A-14FS	36"	14	Kawasaki® FS – V-twin
SWZ-48V-15FSE	48"	15	Kawasaki® FS – V-twin, electric-start
SWZ-52V-18FSE	52"	18	Kawasaki® FS – V-twin, electric-start
SWZL-52V-22FSE		22	Kawasaki® FS – V-twin, electric-start
SWZL-61V-22FSE	61"	22	Kawasaki® FS – V-twin, electric-start


SW

SW-32-14FS	32"	14	Kawasaki® FS – V-Twin
SW-36A-14FS	36"	14	Kawasaki® FS – V-Twin
SW-48V-14FS	48"	14	Kawasaki® FS – V-Twin
SW-52V-15FS	52"	15	Kawasaki® FS – V-Twin


SWZT

SWZT-36H-14FS	36"	14	Kawasaki® FS – V-Twin
SWZT-48H-15FSE	48"	15	Kawasaki® FS – V-Twin, electric-start
SWZT-52H-18FSE	52"	18	Kawasaki® FS – V-Twin, electric-start
SWZT-61H-22FSE	61"	22	Kawasaki® FS – V-Twin, electric-start


SFC

SFC-30-7CV	30"	7	Kohler® Command PRO® CV224
SFC-30-7CV-CA		7	Kohler® Command PRO® CV224 (California)
SFC-30-7CV-S (front swivel wheels)		7	Kohler® Command PRO® CV224
SFC-30-7CV-S-CA (front swivel wheels)		7	Kohler® Command PRO® CV224 (California)

Model lineup is subject to change. Check Scag.com and consult with your local Scag Dealer for current availability.

*Engine power levels as rated by the manufacturer. All models subject to availability.