

BUILT FOR SPEED AND AGILITY

DEVOUR JOBS AT A JAW-DROPPING PACE

The Cheetah II™ is so quick and precise, you're bound to conquer any job in no time while delivering an incredible quality-of-cut. What's more is the ride's so, so smooth, you won't want the work to end. But it will—quickly and with stunning results.



SCAG
POWER EQUIPMENT

FEATURES & SPECIFICATIONS

- 1 Quick-Fit™ steering control levers, the Operator Suspension System and a spacious footplate reduce fatigue for comfortable operation.
 - 2 Double-tube mainframe makes the Cheetah II tough, durable and dependable year after year.
 - 3 Extra-low center of gravity gives the Cheetah II surefooted stability on a wide variety of terrain.
- Fabricated, welded and reinforced Velocity Plus™ cutter deck is ultra-strong and truly commercial-grade. Tri-Plate deck top is nearly ½" thick.
 - Dual tanks provide up to a 13-gallon fuel capacity to keep you mowing for hours, ensuring better productivity.
 - Heavy-duty Ogura GT5 (350 ft lb) clutch; adjustable air gap for long service life.
 - Foot-operated parking brake allows the operator to apply the brake without removing hands from the steering controls.
 - Large-capacity hydraulic system increases component efficiency and extends system life.
 - Extra-large drive tires provide dependable traction and a smooth ride.

- 6"-wide, flat-free front caster tires have tapered roller bearings in the axles and pivots for long life; lip seals keep grease in and dirt out.



Available in standard Cat's Eye Gold or Blackout paint scheme. Blackout paint scheme is exclusive to the 38 hp Kohler® EFI engine*. Actual seat may vary.

CHEETAH II



Torsion-spring suspension seat adjusts to operator's weight to provide superior comfort on most models, excluding 31FX and 36BV. All seats feature 4-point rubber iso-mounting to further absorb vibration.



Dual, integrated ZT-5400® Hydro-Gear® transaxles give you responsive, dependable power. A cooling fan on each unit keeps operating temperatures low. Two-speed settings let you choose either Low Range to travel up to 12 mph or High Range for up to 16 mph.



Operator-friendly instrument panel includes a conveniently located ignition switch, cutter-deck-engagement switch, choke, throttle controls and Tiger Eye™ Advanced Monitoring System.

OPERATOR SUSPENSION SYSTEM

Isolates the operator station from the effects of rough terrain. A coil-over shock provides effective suspension action right where it's needed, and only where it's needed, for a smooth ride. Adjust the suspension system on the fly from firm to soft with a selection of five settings to match your personal preference.

This ultra-simple design utilizes only three moving parts to cushion the operator while maintaining the structural integrity of the mower's frame. Most importantly, this suspension system has no negative effect on the quality-of-cut.

*Pending availability. Consult with your Scag® Dealer for more information. Actual product may differ from photos.



ZERO-TURN MOWERS



TURF TIGER II



CHEETAH II



TIGER CAT II

| | TURF TIGER II | CHEETAH II | TIGER CAT II |
|-----------------------------|--|--|--|
| Total Fuel Capacity | 12 gallons (gas/diesel) 33.5 lbs. (LP) | 13 gallons | 9.5 gallons |
| Drive Tires | 26" x 9.5" - 12" (52") 26" x 12" - 12" (61" and 72") | 24" x 12"-12" | 24" x 9.5"-12" (48" and 52") 24" x 12"-12" (61") |
| Caster Tires | 13 x 6.5 - 6 | 13" x 6.5"-6" | 13" x 6.5"-6" |
| Seat | 4-point iso-mounted torsion-spring suspension seat | 4-point iso-mounted mid-back mounted on operator-suspension platform | 4-point iso-mounted torsion-spring suspension seat |
| Drive System Type | Dual Pump and Motor | Hydro-Gear ZT5400 Transaxle Two-Speed | Dual Pump and Motor |
| Pumps | Hydro-Gear: 16cc | Internal Pump: 16 cc | Hydro-Gear 12 cc |
| Motors | Parker: 18ci | Internal Motor: 21 cc | Parker 14.5 ci |
| Forward Ground Speed | 12 MPH (gas/LP) 10 MPH (diesel) | 16 mph (high-range) 12 mph (low-range) | 12 mph |
| Reverse Ground Speed | 6 MPH | 8 mph (high-range) 5 mph (low-range) | 5 mph |
| Parking Brake | Adjustable foot-operated pedal AUSCO disc brakes | Foot-operated pedal | Foot-operated pedal |
| Cutting Widths | 52", 61" and 72" | 61" and 72" | 48", 52" and 61" |
| Deck Type | Velocity Plus™ cutter deck | Velocity Plus™ cutter deck | Velocity Plus™ cutter deck |
| Cutting Height | 1.5" to 6" in .25" increments | 1.25" to 5" in .25" increments | 1" to 5" in .25" increments |
| Deck Lift | Adjustable foot-operated pedal | Adjustable foot-operated pedal | Adjustable foot-operated pedal |
| Deck Construction | Tri-plate cutter deck constructed of 3 steel plates totaling nearly 1/2" of steel. Reinforcement plates at cutter deck spindles. | Tri-plate cutter deck constructed of 3 steel plates totaling nearly 1/2" of steel. Reinforcement plates at cutter deck spindles. | Tri-plate cutter deck constructed of 3 steel plates totaling nearly 1/2" of steel. Reinforcement plates at cutter deck spindles. |
| Deck Spindles | Cast-iron housing with tapered roller bearings | Cast-iron housing with tapered roller bearings | Cast-iron housing with tapered roller bearings |
| Blade Engagement | Ogura GT3.5 (250 ft lb) Ogura GT5 (350 ft lb) (38CV-EFI and Briggs Vanguard® models) Adjustable air-gap for extended life | Ogura GT5 (350 ft lb) Adjustable air-gap for extended life | Ogura GT3.5 (250 ft lb) Adjustable air-gap for extended life |

SPECIFICATIONS

| | MODEL NUMBER | DECK WIDTH | ENGINE | HP* |
|-----------------------|-------------------------|---|--|---|
| TURF TIGER II™ | GASOLINE POWERED | | | |
| | STTII-52V-26CV-EFI | 52" | Kohler® Command PRO® EFI – electronic fuel injection | 26 |
| | STTII-61V-31DFI | 61" | Kawasaki® FD Series DFI – digital fuel injected, liquid-cooled | 31 |
| | STTII-61V-33BV | | Vanguard™ BIG BLOCK™ | 33 |
| | STTII-61V-38CH-EFI | | Kohler® Command PRO® EFI – electronic fuel injection | 38 |
| | STTII-61V-40BV-EFI | | Vanguard™ BIG BLOCK™ EFI – electronic fuel injection | 40 |
| | STTII-72V-31DFI | 72" | Kawasaki® FD Series DFI – digital fuel injected, liquid-cooled | 31 |
| | STTII-72V-38CH-EFI | | Kohler® Command PRO® EFI – electronic fuel injection | 38 |
| | STTII-72V-40BV-EFI | | Vanguard™ BIG BLOCK™ EFI – electronic fuel injection | 40 |
| | DIESEL POWERED | STTII-61V-25KBD | 61" | Kubota® – Diesel Powered, liquid-cooled |
| STTII-72V-25KBD | | 72" | Kubota® – Diesel Powered, liquid-cooled | 25 |
| LP POWERED | | | | |
| STTII-52V-25CH-LP-EFI | 52" | Kohler® Command PRO® EFI – Propane Powered, electronic fuel injection | 25 | |
| STTII-61V-25CH-LP-EFI | 61" | Kohler® Command PRO® EFI – Propane Powered, electronic fuel injection | 25 | |
| CHEETAH II™ | SCZII-61V-36BV** | 61" | Vanguard™ BIG BLOCK™ | 36 |
| | SCZII-61V-37BV-EFI | | Vanguard™ BIG BLOCK™ EFI – electronic fuel injection | 37 |
| | SCZII-61V-38CV-EFI ■ | | Kohler® Command PRO® EFI – electronic fuel injection | 38 |
| | SCZII-61V-38FX-EFI | | Kawasaki® FX Series EFI – electronic fuel injection | 38 |
| | SCVII-61V-40BV-EFI | 72" | Vanguard™ BIG BLOCK™ EFI – electronic fuel injection | 40 |
| | SCZII-72V-37BV-EFI | | Vanguard™ BIG BLOCK™ EFI – electronic fuel injection | 37 |
| | SCZII-72V-38CV-EFI ■ | | Kohler® Command PRO® EFI – electronic fuel injection | 38 |
| | SCZII-72V-38FX-EFI | | Kawasaki® FX Series EFI – electronic fuel injection | 38 |
| | SCZII-72V-40BV-EFI | | Vanguard™ BIG BLOCK™ EFI – electronic fuel injection | 40 |
| | REAR DISCHARGE | | | |
| SCZII-61RD-38FX-EFI | 61" | Kawasaki® FX Series EFI – electronic fuel injection | 38 | |
| SCZII-61RD-38CV-EFI ■ | | Kohler® Command PRO® EFI – electronic fuel injection | 38 | |
| SCZII-72RD-40BV-EFI | 72" | Vanguard™ BIG BLOCK™ EFI – electronic fuel injection | 40 | |
| TIGER CAT® II | STCII-48V-22FX | 48" | Kawasaki® FX Series | 22 |
| | STCII-48V-23CV ■ | | Kohler® Command PRO® | 23 |
| | STCII-52V-25CV-EFI ■ | 52" | Kohler® Command PRO® EFI – electronic fuel injection | 25 |
| | STCII-52V-26FT-EFI | | Kawasaki® FT Series – electronic fuel injection | 26 |
| | STCII-52V-28BV-EFI | | Vanguard™ 810 EFI – electronic fuel injection | 28 |
| | STCII-52V-36BV | | Vanguard™ BIG BLOCK™ | 36 |
| | STCII-61V-26CV-EFI ■ | 61" | Kohler® Command PRO® EFI – electronic fuel injection | 26 |
| | STCII-61V-26FT-EFI | | Kawasaki® FT Series EFI – electronic fuel injection | 26 |
| | STCII-61V-36BV | | Vanguard™ BIG BLOCK™ | 36 |

Model lineup is subject to change. Check Scag.com and consult with your local Scag Dealer for current availability.

*Engine power levels as rated by the manufacturer. All models subject to availability.

**Non-suspension seat

KEY: ■ BLACKOUT EDITION

LEAVE THE WORRY BEHIND

Since Scag® Power Equipment was established in 1983, we've built an industry-wide reputation for producing reliable, heavy-duty commercial equipment. We are proud of the quality of our mowers and their well-earned reputation for durability. The Scag warranty policy shows our commitment to you and to the products we manufacture. See your local Scag dealer for details on the warranty policy or reference the Limited Warranty Statement included in your operator's manual.

| | TURF TIGER II™ | CHEETAH II™ | TIGER CAT™ II | PATRIOT™ | FREEDOM Z™ | LIBERTY Z™ | SLS | EYZ | V-RIDE XL | V-RIDE II™ | SWZT | SWZ | SW | SFCII-30 | SFC-21 | TURF STORM™ XL | TURF STORM™ | AERSTORM™ | WINDSTORM™ | EXTREME PRO BLOWER | EXTREME BLOWER | CLASSIC BLOWER | TRUCK LOADERS | JACKAL |
|---|----------------|-------------|---------------|----------|------------|------------|-----|-----|-----------|------------|------|-----|----|----------|--------|----------------|-------------|-----------|------------|--------------------|----------------|----------------|---------------|--------|
| 1-YEAR COMMERCIAL MACHINE WARRANTY* | | | | | • | | | | | | | | | • | • | | | | | | | | • | |
| 2-YEAR COMMERCIAL MACHINE WARRANTY* | • | • | • | • | | | | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • | • |
| 3-YEAR CUTTER DECK SPINDLE WARRANTY* | • | • | • | | | | | | • | • | | • | • | | | | | | | | | | | |
| 3-YEAR OR 300-HOUR NON-COMMERCIAL** MACHINE WARRANTY* | | | | | | | • | | | | | | | | | | | | | | | | | |
| 3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY* | • | • | • | • | • | | | • | • | • | • | • | • | • | • | | | | | | | | | |
| 5-YEAR OR 750-HOUR NON-COMMERCIAL** MACHINE WARRANTY* | | | | | | • | | | | | | | | | | | | | | | | | | |
| 90-DAY WEAR ITEM WARRANTY* | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 90-DAY RENTAL USE WARRANTY* | • | • | • | • | • | | | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 1-YEAR OR 1,000-HOUR RENTAL USE WARRANTY* | | | | | | | | | | | | | | | | | | | | | | | | • |
| ENGINE WARRANTY | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |



WARRANTIES

TURF TIGER II, CHEETAH II, TIGER CAT II, V-RIDE II, SWZ & SW WARRANTY

2-YEAR COMMERCIAL MACHINE WARRANTY*

Frame and structural components including oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors are covered for two years of commercial use. This warranty covers manufacturing defects for two years, including parts and labor (excludes wear items).

3-YEAR CUTTER DECK SPINDLE WARRANTY*

Velocity Plus™ and Advantage™ cutter decks are equipped with the exclusive Scag heavy-duty, cast-iron cutter blade spindle. We ensure our spindle's dependability, not only through its top-quality construction, but also through complete coverage of parts and labor for the first and second years, and parts only for the third year. Applies to commercial and non-commercial use.

3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

Frame and structural components including oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors are covered for three years or 500 hours (whichever comes first) of non-commercial use. This warranty covers manufacturing defects for three years or 500 hours (whichever comes first), including parts and labor (excludes wear items).

PATRIOT & SWZT WARRANTY

2-YEAR COMMERCIAL MACHINE WARRANTY*

3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

FREEDOM Z & SFC WARRANTY

1-YEAR COMMERCIAL MACHINE WARRANTY*

3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

LIBERTY Z WARRANTY

5-YEAR OR 750-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

SLS WARRANTY

3-YEAR OR 300-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

AERSTORM AERATOR, TURF STORM SPREADER-SPRAYERS, TRUCK LOADERS, WINDSTORM, EXTREME PRO BLOWER & EXTREME BLOWER WARRANTY

2-YEAR COMMERCIAL MACHINE WARRANTY*

Frame and structural components including frame, blower housing, oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors (where applicable) are covered for two years of commercial use. This warranty covers manufacturing defects for two years, including parts and labor (excludes wear items).

CLASSIC BLOWER WARRANTY

1-YEAR COMMERCIAL MACHINE WARRANTY*

2-YEAR NON-COMMERCIAL** MACHINE WARRANTY*

JACKAL WARRANTY

2-YEAR OR 2,000-HOUR COMMERCIAL MACHINE WARRANTY*

1-YEAR OR 1,000-HOUR RENTAL USE WARRANTY*

ALL PRODUCTS

90-DAY WEAR ITEM WARRANTY & RENTAL USE*

Wear items, including drive belts, blades, hydraulic hoses, tires and batteries, and rental use are warranted for 90 days.

ENGINE WARRANTY

Engines and engine components are covered by the individual engine manufacturer. See engine owner's manual for warranty period and details.

SCAG EXTENDED WARRANTY PROGRAM***

Scag's new Extended Warranty Program is better than ever. For only a few dollars per month when financed with this machine, you can protect your investment and enjoy peace-of-mind knowing that your Scag equipment is covered for years to come. Consult with your Scag Dealer for more information.

* Warranty time periods are from the date of purchase, are only applicable to the original owner and are non-transferable. Warranty does not cover wear items, misuse, abuse, lack of maintenance, etc. See the Limited Warranty Statement in your owner's manual for more details.

** "Non-Commercial" is defined as single-property usage, where the single property is the residence of the owner of the product. If the product is being used on more than the owner's single property, it is deemed commercial use and this warranty does not apply. Scag Power Equipment reserves the right to deny and/or void this warranty if evidence clearly points to commercial use.

*** Excludes wear items such as belts, tires, battery. Warranty does not cover wear items, misuse, abuse, lack of maintenance, etc. See the Limited Warranty Statement in your owner's manual for more details. Depending on model. Manufacturer warranties of 1-year or less are doubled. Manufacturer warranties greater than 1-year and less than 5-years are extended to 5 full years in total.