

NO PLACE LIKE HOME

BE THE ENVY OF THE NEIGHBORHOOD

See firsthand what the professionals are raving about with the Liberty® Z. Attractively priced for the rest of us, it's designed and manufactured to deliver that Scag® top-of-the-line experience and resulting quality-of-cut that contractors experience every day.



FEATURES & SPECIFICATIONS

- 1 Low-maintenance mower design reduces grease points for owner convenience.
- 2 Fully-fabricated and welded 36", 42", 48", 52" or 61" Hero™ cutter deck with anti-scalp rollers provides a beautiful quality-of-cut. This is the same proven deck design found on the Freedom Z® and Patriot™ models.
- 3 Ground speeds up to 7 mph for high productivity.
 - Proven and reliable hydro transaxles deliver smooth drive power and feature spin-on oil filters for easy maintenance.
 - Extra-low center of gravity for maximum stability.
 - Large 11" front caster tires and 20" drive tires for solid traction and a smooth ride.
 - Sealed aluminum cutter deck spindles with ball bearings deliver maintenance-free, high-performance operation; ½"-thick mounting flange for incredible strength.
 - Easy access to the engine oil-drain and filters for quick and simple maintenance.

- Powder coat paint for a showroom-quality finish and increased durability.
- Digital hour meter features pre-programmed maintenance reminders to help you keep your mower running great.
- 5-year/750-hour non-commercial mower warranty. See the Scag Limited Warranty Statement for details.



LIBERTY Z



Cushioned, contoured and bolstered seat is adjustable and delivers a high level of comfort. Standard armrests on the 48", 52" and 61" models provide additional stability and comfort no matter how long the job.



Heavy-duty, tubular-steel frame provides a solid foundation for years of reliable service.



Easy-to-use height-of-cut adjustment is quick and conveniently adjusts from 1½" to 4½" in ¼" increments.

Add a 2-Bag Grass Collection System to your Liberty Z mower to give your lawn a pristine, clipping-free finish.

A variety of accessories are available to meet your specific needs, such as:

- 2-Bag Grass Collection System.
- Hurricane Mulch System.
- LED Light Kit.
- Trailer Hitch.



2-BAG GRASS COLLECTION SYSTEM

Actual product may differ from photos.

ZERO-TURN MOWERS



	PATRIOT	FREEDOM Z	LIBERTY Z
Total Fuel Capacity	6.5 gallons	6.5 gallons	3.5 gallons (36" and 42") 5.5 gallons (48", 52" and 61")
Drive Tires	22" x 10.5"-12" (52") 24" x 12"-12" (61")	20" x 10"-10"	20" x 8"-10" (36") 20" x 10"-8" (48" and 52") 20" x 10"-10" (61")
Caster Tires	13" x 6.5"-6"	11" x 6.5"-5"	11" x 4"-5" (36") 11" x 6"-5" (48", 52" and 61")
Seat	Torsion-spring suspension seat	Padded with arm rests, adjustment forward and back (tools required)	Padded with arm rests, adjustment forward and back (tools required) (no armrests on 36" and 42" models)
Drive System Type	Hydro-Gear ZT3100 Transaxle (52") Hydro-Gear ZT3400 Transaxle (61")	Hydro-Gear ZT2800 Transaxle	Varies by model: Tuff Torq TX450, Hydro-Gear ZT2800 or Hydro-Gear ZT3100
Pumps	ZT3100 Internal Pump: 10 cc (52") ZT3400 Internal Pump: 12 cc (61")	Internal Pump: 10 cc	Internal Pump: 10 cc
Motors	Internal Motor: 16 cc	Internal Motor: 16 cc	Internal Motor: 10cc (Tuff Torq), 16 cc (Hydro-Gear)
Forward Ground Speed	8.5 mph (52") 10 mph (61")	8 mph	7 mph
Reverse Ground Speed	5 mph	5 mph	5 mph
Parking Brake	Foot-operated pedal	Hand-activated lever	Hand-activated lever
Cutting Widths	52" and 61"	48" and 52"	36", 42", 48", 52" and 61"
Deck Type	Hero™ cutter deck	Hero™ cutter deck	Hero™ cutter deck
Cutting Height	1.5" to 5" in .25" increments	1" to 4.5" in .25" increments	1.5" to 4.5" in .25" increments
Deck Lift	Foot-operated pedal	Foot-operated pedal	Foot-operated pedal
Deck Construction	Dual-plate cutter deck constructed of 2 steel plates. Reinforcement plate at cutter deck spindles.	Dual-plate cutter deck constructed of 2 steel plates. Reinforcement plate at cutter deck spindles.	Dual-plate cutter deck constructed of 2 steel plates. Reinforcement plate at cutter deck spindles.
Deck Spindles	Aluminum housing with sealed ball bearings	Aluminum housing with sealed ball bearings	Aluminum housing with sealed ball bearings
Blade Engagement	Ogura GT2 (108 ft lb) Adjustable air-gap for extended life	Ogura GT1 (74 ft lb) Adjustable air-gap for extended life	Ogura GT1 (74 ft lb) – (36", 48" and 52") Ogura GT2 (108 ft lb) – (61") Adjustable air-gap for extended life

SPECIFICATIONS

	MODEL NUMBER	DECK WIDTH	ENGINE	HP*
PATRIOT™	SPZ-52H-22FX	52"	Kawasaki® FX Series	22
	SPZ-52H-23CV		Kohler® Command PRO®	23
	SPZ-52H-24FT		Kawasaki® FT Series	24
	SPZ-52H-25ZT		Kohler® Confidant	25
	SPZ-52H-26BV		Vanguard™ BIG BLOCK™	26
	SPZ-52H-27CX		Briggs & Stratton® CXi Series™	27
	SPZ-61H-23FX	61"	Kawasaki® FX Series	23
	SPZ-61H-25ZT		Kohler® Confidant	25
	SPZ-61H-25CV		Kohler® Command PRO®	25
	SPZ-61H-26BV		Vanguard™ BIG BLOCK™	26
	SPZ-61H-27CX		Briggs & Stratton® CXi Series™	27
FREEDOM Z®	SFZ-48H-24KT	48"	Kohler® 7000 Series	24
	SFZ-48H-24SR		Scag SR Series	24
	SFZ-48H-25CX		Briggs & Stratton® CXi Series™	25
	SFZ-52H-25CX	52"	Briggs & Stratton® CXi Series™	25
	SFZ-52H-26KT		Kohler® 7000 Series	26
LIBERTY® Z	SZL-36H-18FR	36"	Kawasaki® FR Series	18
	SZL-36H-20KT		Kohler® 7000 Series	20
	SZL-36H-20PX		Briggs & Stratton® PXi Series™	20
	SZL-42H-21FR	42"	Kawasaki® FR Series	21
	SZL-42H-22PX		Briggs & Stratton® PXi Series™	22
	SZL-42H-22KT		Kohler® 7000 Series	22
	SZL-48H-21FR	48"	Kawasaki® FR Series	21
	SZL-48H-22KT		Kohler® 7000 Series	22
	SZL-48H-22PX		Briggs & Stratton® PXi Series™	22
	SZL-48H-24SR		Scag SR Series	24
	SZL-52H-23FR	52"	Kawasaki® FR Series	23
	SZL-52H-24SR		Scag SR Series	24
	SZL-52H-24KT		Kohler® 7000 Series	24
	SZL-52H-24PX		Briggs & Stratton® PXi Series™	24
	SZL-61H-24FR	61"	Kawasaki® FR Series	24
	SZL-61H-26KT		Kohler® 7000 Series	26
	SZL-61H-27SR		Scag SR Series	27

Model lineup is subject to change. Check Scag.com and consult with your local Scag Dealer for current availability.
*Engine power levels as rated by the manufacturer. All models subject to availability.

LEAVE THE WORRY BEHIND

Since Scag® Power Equipment was established in 1983, we’ve built an industry-wide reputation for producing reliable, heavy-duty commercial equipment. We are proud of the quality of our mowers and their well-earned reputation for durability. The Scag warranty policy shows our commitment to you and to the products we manufacture. See your local Scag dealer for details on the warranty policy or reference the Limited Warranty Statement included in your operator’s manual.

	TURF TIGER II™	CHEETAH II™	TIGER CAT® II	PATRIOT™	FREEDOM Z®	LIBERTY Z	SLS	EVZ	V-RIDE XL	V-RIDE II™	SWZT	SWZ	SW	SFCII-30	SFC-21	TURF STORM™ XL	TURF STORM™	AERSTORM™	WINDSTORM®	EXTREME PRO BLOWER	EXTREME BLOWER	CLASSIC BLOWER	TRUCK LOADERS	JACKAL
1-YEAR COMMERCIAL MACHINE WARRANTY*					•									•	•							•		
2-YEAR COMMERCIAL MACHINE WARRANTY*	•	•	•	•				•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
3-YEAR CUTTER DECK SPINDLE WARRANTY*	•	•	•						•	•		•	•											
3-YEAR OR 300-HOUR NON-COMMERCIAL** MACHINE WARRANTY*							•																	
3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY*	•	•	•	•	•			•	•	•	•	•	•	•	•									
5-YEAR OR 750-HOUR NON-COMMERCIAL** MACHINE WARRANTY*						•																		
90-DAY WEAR ITEM WARRANTY*	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
90-DAY RENTAL USE WARRANTY*	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1-YEAR OR 1,000-HOUR RENTAL USE WARRANTY*																								•
ENGINE WARRANTY	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•



TURF TIGER II, CHEETAH II, TIGER CAT II, V-RIDE II, SWZ & SW WARRANTY

2-YEAR COMMERCIAL MACHINE WARRANTY*
Frame and structural components including oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors are covered for two years of commercial use. This warranty covers manufacturing defects for two years, including parts and labor (excludes wear items).

3-YEAR CUTTER DECK SPINDLE WARRANTY*
Velocity Plus™ and Advantage™ cutter decks are equipped with the exclusive Scag heavy-duty, cast-iron cutter blade spindle. We ensure our spindle’s dependability, not only through its top-quality construction, but also through complete coverage of parts and labor for the first and second years, and parts only for the third year. Applies to commercial and non-commercial use.

3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY*
Frame and structural components including oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors are covered for three years or 500 hours (whichever comes first) of non-commercial use. This warranty covers manufacturing defects for three years or 500 hours (whichever comes first), including parts and labor (excludes wear items).

PATRIOT & SWZT WARRANTY

2-YEAR COMMERCIAL MACHINE WARRANTY*
3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

FREEDOM Z & SFC WARRANTY

1-YEAR COMMERCIAL MACHINE WARRANTY*
3-YEAR OR 500-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

LIBERTY Z WARRANTY

5-YEAR OR 750-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

SLS WARRANTY

3-YEAR OR 300-HOUR NON-COMMERCIAL** MACHINE WARRANTY*

* Warranty time periods are from the date of purchase, are only applicable to the original owner and are non-transferable. Warranty does not cover wear items, misuse, abuse, lack of maintenance, etc. See the Limited Warranty Statement in your owner’s manual for more details.
** “Non-Commercial” is defined as single-property usage, where the single property is the residence of the owner of the product. If the product is being used on more than the owner’s single property, it is deemed commercial use and this warranty does not apply. Scag Power Equipment reserves the right to deny and/or void this warranty if evidence clearly points to commercial use.
*** Excludes wear items such as belts, tires, battery. Warranty does not cover wear items, misuse, abuse, lack of maintenance, etc. See the Limited Warranty Statement in your owner’s manual for more details. Depending on model. Manufacturer warranties of 1-year or less are doubled. Manufacturer warranties greater than 1-year and less than 5-years are extended to 5 full years in total.

WARRANTIES

AERSTORM AERATOR, TURF STORM SPREADER-SPRAYERS, TRUCK LOADERS, WINDSTORM, EXTREME PRO BLOWER & EXTREME BLOWER WARRANTY

2-YEAR COMMERCIAL MACHINE WARRANTY*
Frame and structural components including frame, blower housing, oil reservoirs, fittings, oil coolers, electrical switches and clutches, pulleys, hydraulic pumps and wheel motors (where applicable) are covered for two years of commercial use. This warranty covers manufacturing defects for two years, including parts and labor (excludes wear items).

CLASSIC BLOWER WARRANTY

1-YEAR COMMERCIAL MACHINE WARRANTY*
2-YEAR NON-COMMERCIAL** MACHINE WARRANTY*

JACKAL WARRANTY

2-YEAR OR 2,000-HOUR COMMERCIAL MACHINE WARRANTY*
1-YEAR OR 1,000-HOUR RENTAL USE WARRANTY*

ALL PRODUCTS

90-DAY WEAR ITEM WARRANTY & RENTAL USE*
Wear items, including drive belts, blades, hydraulic hoses, tires and batteries, and rental use are warranted for 90 days.

ENGINE WARRANTY
Engines and engine components are covered by the individual engine manufacturer. See engine owner’s manual for warranty period and details.

SCAG EXTENDED WARRANTY PROGRAM***

Scag's new Extended Warranty Program is better than ever. For only a few dollars per month when financed with this machine, you can protect your investment and enjoy peace-of-mind knowing that your Scag equipment is covered for years to come. Consult with your Scag Dealer for more information.