



Husqvarna®

Professional Power Cutters



SCAN TO
LEARN MORE

Gas Cutters

GAS POWER CUTTER

K 770



- 74 cm³
- 5.0 hp
- 5 in
- 22.4 lbs

This power cutter combines swift handling, a powerful and easy-to-start X-Torq® engine and the sturdy three-bolt bearing housing with SmartTension™ spring-loaded belt tensioning system.

- Active Air Filtration™
- SmartCarb™
- Poly-V belt
- DuraStarter™
- X-Torq®
- SmartTension™

GAS POWER CUTTER

K 970



- 94 cm³
- 6.5 hp
- 5 in
- 24.3 lbs

Powerful enough for large cutting depths, yet agile enough to handle all-round jobs. With SmartTension™ for semi automatic belt tensioning, you minimize the risk of under- and over-tensioning. The magnesium blade guard saves weight.

- Active Air Filtration™
- SmartCarb™
- Poly-V belt
- DuraStarter™
- X-Torq®
- SmartTension™

GAS POWER CUTTER

K 1270 II



- 119 cm³
- 7.8 hp
- 5.7 in
- 31.3 lbs

Some jobs require exceptional power. The K 1270 is a real powerhouse with an impressive 5.8 kW output, turning your heaviest cutting jobs into a fast and effective operation. Suitable for road works when used with the corresponding KV 9/12 trolley. The trolley also means you can fully concentrate on the cutting job.

- Easy to start
- Anti-vibration system
- Magnesium blade guard
- Cuts close to walls or ground
- Reversible cutting arm

BATTERY POWER CUTTER

K1 PACE



- 5.7 in
- 16.3 lbs

Powered by Husqvarna PACE battery system with high power and fast charging, the K1 PACE delivers the performance you expect from gas-powered cutters. Equipped with X-Halt™ brake function for operational safety, it has an ergonomic design, low vibrations, zero direct emissions and built-in connectivity so you can monitor location, runtime and service intervals. The K1 PACE uses our specially designed battery blade range for maximized cutting depth and optimized performance.

- K1 PACE high power battery
- Brushless motor
- X-Halt™ brake
- Wireless updates with FOTA (Firmware over the air)

BATTERY POWER CUTTER

K 535i



- 3 in
- 7.7 lbs

Battery-powered power cutter with excellent output that provides flexibility for lighter concrete jobs. Ergonomic and lightweight, ideal for landscapers, pavers and roofers. Thanks to low vibrations and the centered placement of the blade, you get superior cutting control compared to conventional angle grinders.

- Brushless E-TORQ motor
- Electric blade break
- savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Integrated carry loop

ELECTRIC POWER CUTTER

K4000



- 230/120/110 V
- 2700/1800/2200 W
- 5 in
- 16.8 lbs

Ideal for wet cutting in sensitive environments where you want to minimize the amount of slurry. Easy to keep the water flow to a minimum, just enough to efficiently bind the dust. Can easily be equipped for dry cutting with the optional Vac attachment.

- Elgard, overload protection
- "Pulling" rotation
- Simple blade change
- Replaceable arbor bushing

Blades for cutting jobs in all materials

In handheld applications, fast and smooth cutting is essential to minimize strain on the user. For maximum efficiency and cost-effectiveness, we recommend you choose a blade with the properties that suits the job you are about to do.

HUSQVARNA TACTI-CUT

S35S BATTERY BLADE

General purpose blade for fast, smooth cutting in stone, tile, brick, concrete and masonry materials.



HUSQVARNA

ABRASIVE WHEEL

Blue EHS blades for metals. Red EHS blades for concrete and masonry.



HUSQVARNA

ELITE-CUT BLADES

By combining our two most innovative diamond segment designs – Exo-Grit and Z-Edge – we've succeeded in developing a new generation of diamond blades that cut smoother, faster and last longer than anything before it. Our testing shows it outperforms others in its class.



HUSQVARNA VARI-CUT

FR3 BATTERY BLADE

Metal cutting blade for free cutting in hard metals, PVC, tile backer boards, steel and roofing tiles.



HUSQVARNA NX5 METAL CUTTING

FIRE RESCUE BLADE

Thicker, electroplated core with cooling holes for protection and deep cutting. For use with metal, concrete, stone, rebar, brick, block.




HUSQVARNA

VARI-CUT SERIES

General purpose, abrasive material blades.

- Vari-Cut S45 for work with reinforced concrete, brick and block.
- Vari-Cut S65 Plus for reinforced concrete, brick, block, green concrete and asphalt.
- Vari-Cut S85 for asphalt.



HUSQVARNA TACTI-CUT

METAL BATTERY BLADE

Metal abrasive blade for general purpose metal cutting.



Which blade suits your job?

See the packaging for guidance.



CUTTING CARTS

HUSQVARNA KV7 / KV9 / KV12



Specifically designed for our handheld gas power cutters. The carts make it easy to cut in straight or curved lines, as well as close to walls and curbstones. They have a guard stabilizer which keeps the machine stable in the cut. They are compact and can be folded for easy transportation.

WATER TANK

PRESSURIZED WATER TANK



If there's no water supply nearby, you can use a pressurized water tank. Pumping the handle a few times gives the required pressure. The tank holds 3.5 gallons and comes complete with a 10 foot hose which is connected to the wet cutting kit on the machine.

WATER TANK

HUSQVARNA WT 15i



Compact and easy-to-use water tank with electric pump. Has a capacity of 4 gallons and allows for continual cutting for 45 minutes. Battery-powered, 40V Husqvarna BLi system.

Specifications

POWER CUTTERS	K 770	K 970	K 1270 II
TECHNICAL SPECIFICATIONS			
Cylinder displacement, cm ³	74	94	119
Power output, hp	5	6.5	7.8
Blade diameter, max. in	14	14	16
Max cutting depth, in	5	5	5.7
Sound power level, guaranteed (LWA), dB(A)	115	115	117
Sound pressure level at operators ear, dB(A)	101	104	104
Weight, lbs	22.4	24.3	31.3
Warranty, Professional	1-year	1-year	1-year
Part number	967682101	967348001	967978801

POWER CUTTERS	K1 PACE	K 535i	K 4000
TECHNICAL SPECIFICATIONS			
Power Output, V	94V	40V	100–120V
Power output, hp	–	1.63	2.4
Blade diameter, max. in	14	9	14
Max cutting depth, in	5.7	3	5
Sound power level, guaranteed (LWA), dB(A)	–	111	105
Sound pressure level at operator's ear dB(A)	101.9	100	95
Weight, lbs	16.31	7.7	16.8
Compatible batteries (recommended)	PACE	BLi950X, BLi300, BLi200, BLi100	N/A
Warranty, Professional	1-year	1-year	1-year
Part number	970519202	967795902	967084001

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J 1349/ISO 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.